

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

奈良県

2014年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96	0.38	0.37	0.38	6.9	7.4	7.1	4.3	4.4	4.3	82.1	81.6	81.9	76.8	76.2	76.6
口腔・咽頭	C00-C14	0.30	0.30	0.30	2.6	0.0	1.8	2.6	0.0	1.8	87.7	89.1	88.1	85.8	87.5	86.3
食道	C15	0.46	0.38	0.45	5.2	13.3	6.5	2.6	8.9	3.6	89.1	77.8	87.3	89.1	75.6	86.9
胃	C16	0.35	0.41	0.37	4.6	10.3	6.4	3.3	5.8	4.1	90.4	87.5	89.4	89.1	85.8	88.1
大腸(結腸・直腸)	C18-C20	0.31	0.35	0.33	5.2	8.1	6.5	3.7	4.2	3.9	89.1	84.0	86.9	88.5	83.7	86.4
結腸	C18	0.29	0.35	0.32	5.6	8.1	6.8	3.8	4.0	3.9	88.7	82.0	85.5	87.9	81.8	85.0
直腸	C19-C20	0.34	0.35	0.35	4.6	8.0	5.9	3.6	4.6	4.0	89.8	89.1	89.5	89.4	88.6	89.1
肝および肝内胆管	C22	0.66	0.69	0.67	15.2	15.9	15.4	10.3	10.0	10.2	32.9	22.9	29.7	32.6	21.2	29.0
胆のう・胆管	C23-C24	0.73	0.80	0.77	10.7	14.0	12.5	4.9	6.6	5.8	68.0	55.4	61.2	54.4	45.5	49.6
膵臓	C25	0.80	0.79	0.79	12.2	14.1	13.1	5.4	6.6	6.0	54.3	49.3	51.8	44.8	42.3	43.5
喉頭	C32	0.15	0.33	0.17	2.2	0.0	1.9	0.0	0.0	0.0	95.7	100.0	96.2	95.7	100.0	96.2
肺	C33-C34	0.65	0.55	0.62	12.4	10.8	11.9	6.7	6.3	6.6	72.9	71.8	72.5	53.1	52.8	52.9
皮膚	C43-C44	0.09	0.08	0.09	0.8	1.8	1.3	0.0	1.8	0.9	97.6	98.2	97.9	96.0	98.2	97.0
乳房	C50	0.00	0.16	0.16	0.0	2.0	2.0	0.0	1.9	1.9	100.0	93.3	93.4	100.0	89.9	90.0
子宮	C53-C55	-	0.24	0.24	-	2.7	2.7	-	2.4	2.4	-	93.2	93.2	-	90.2	90.2
子宮頸部	C53	-	0.26	0.26	-	0.8	0.8	-	0.8	0.8	-	95.2	95.2	-	92.8	92.8
子宮体部	C54	-	0.14	0.14	-	1.2	1.2	-	1.2	1.2	-	95.1	95.1	-	92.0	92.0
卵巣	C56	-	0.40	0.40	-	6.0	6.0	-	3.4	3.4	-	90.6	90.6	-	82.1	82.1
前立腺	C61	0.09	-	0.09	2.7	-	2.7	2.2	-	2.2	91.8	-	91.8	90.3	-	90.3
膀胱	C67	0.19	0.38	0.23	1.7	6.9	2.7	1.3	3.4	1.7	89.0	86.2	88.4	85.6	84.5	85.4
腎・尿路(膀胱除く)	C64-C66 C68	0.24	0.27	0.25	3.9	5.8	4.5	3.5	3.8	3.6	85.3	77.9	83.0	83.1	71.2	79.4
脳・中枢神経系	C70-C72	0.48	0.38	0.43	13.8	6.3	9.8	3.4	3.1	3.3	72.4	71.9	72.1	72.4	71.9	72.1
甲状腺	C73	0.24	0.08	0.11	0.0	0.8	0.6	0.0	0.8	0.6	100.0	97.0	97.6	93.9	87.2	88.6
悪性リンパ腫	C81-C85 C96	0.44	0.26	0.36	9.6	6.1	8.0	4.8	4.9	4.9	89.8	91.4	90.6	86.1	88.3	87.1
多発性骨髄腫	C88-C90	0.51	0.60	0.55	14.3	12.5	13.5	14.3	7.5	11.2	77.6	80.0	78.7	71.4	70.0	70.8
白血病	C91-C95	0.54	0.71	0.60	11.3	9.1	10.5	6.2	3.6	5.3	97.9	100.0	98.7	76.3	81.8	78.3

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

奈良県 2015年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報で初めて把握された症例 DCN (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96	0.38	0.37	0.37	5.6	6.7	6.0	3.5	4.4	3.9	84.3	84.2	84.2	79.0	79.7	79.3
口腔・咽頭	C00-C14	0.29	0.34	0.30	2.2	1.4	2.0	1.1	0.0	0.8	92.7	90.0	91.9	91.0	87.1	89.9
食道	C15	0.50	0.50	0.50	4.8	2.8	4.5	3.8	0.0	3.3	91.4	88.9	91.1	91.0	88.9	90.7
胃	C16	0.31	0.33	0.32	4.6	7.0	5.3	3.0	4.7	3.5	92.8	90.0	91.9	92.0	89.1	91.1
大腸（結腸・直腸）	C18-C20	0.33	0.32	0.32	4.4	4.9	4.7	2.6	3.4	3.0	90.7	88.7	89.8	89.6	88.0	88.9
結腸	C18	0.36	0.35	0.36	5.2	5.7	5.5	3.0	4.0	3.5	89.3	88.4	88.9	87.9	87.7	87.8
直腸	C19-C20	0.27	0.25	0.26	3.2	2.7	3.0	1.9	1.6	1.8	93.0	89.3	91.6	92.3	88.8	91.0
肝および肝内胆管	C22	0.63	0.77	0.67	10.0	17.8	12.3	6.6	9.9	7.5	33.3	17.1	28.3	31.9	15.8	26.9
胆のう・胆管	C23-C24	0.65	0.84	0.73	13.3	15.7	14.3	9.4	10.8	10.0	63.3	63.7	63.5	46.9	54.9	50.4
膵臓	C25	0.67	0.95	0.79	5.9	14.4	9.6	2.8	9.2	5.6	64.2	52.3	59.0	45.7	32.8	40.1
喉頭	C32	0.19	0.25	0.19	6.3	0.0	5.9	6.3	0.0	5.9	87.5	75.0	86.8	85.9	75.0	85.3
肺	C33-C34	0.67	0.55	0.63	11.0	11.6	11.2	6.6	7.3	6.9	75.7	75.9	75.7	57.2	62.3	58.9
皮膚	C43-C44	0.08	0.02	0.05	0.8	0.0	0.4	0.8	0.0	0.4	99.2	100.0	99.6	99.2	99.2	99.2
乳房	C50	0.00	0.16	0.15	0.0	1.8	1.8	0.0	1.7	1.7	100.0	94.6	94.6	100.0	93.6	93.7
子宮	C53-C55	-	0.20	0.20	-	2.5	2.5	-	1.9	1.9	-	94.6	94.6	-	92.1	92.1
子宮頸部	C53	-	0.25	0.25	-	3.5	3.5	-	2.7	2.7	-	94.7	94.7	-	92.0	92.0
子宮体部	C54	-	0.12	0.12	-	0.5	0.5	-	0.5	0.5	-	97.4	97.4	-	94.9	94.9
卵巣	C56	-	0.37	0.37	-	5.2	5.2	-	4.3	4.3	-	87.1	87.1	-	82.8	82.8
前立腺	C61	0.11	-	0.11	1.8	-	1.8	1.3	-	1.3	92.2	-	92.2	91.6	-	91.6
膀胱	C67	0.27	0.31	0.27	3.2	6.8	3.9	3.2	6.8	3.9	92.3	86.4	91.1	88.3	81.4	86.8
腎・尿路（膀胱除く）	C64-C66 C68	0.26	0.39	0.30	1.8	9.0	4.0	1.3	7.0	3.1	86.2	81.0	84.6	81.8	77.0	80.3
脳・中枢神経系	C70-C72	0.56	0.25	0.43	15.6	21.9	18.2	6.7	15.6	10.4	71.1	56.3	64.9	68.9	56.3	63.6
甲状腺	C73	0.12	0.11	0.11	4.0	4.5	4.3	2.0	3.7	3.3	94.0	94.0	94.0	84.0	88.1	87.0
悪性リンパ腫	C81-C85 C96	0.31	0.39	0.34	4.6	3.9	4.4	2.1	2.6	2.3	93.2	90.8	92.3	91.1	88.2	90.0
多発性骨髄腫	C88-C90	0.58	0.59	0.59	7.0	10.3	8.5	4.7	7.7	6.1	74.4	84.6	79.3	65.1	69.2	67.1
白血病	C91-C95	0.64	0.69	0.66	5.7	9.1	7.0	3.4	5.5	4.2	96.6	96.4	96.5	80.7	72.7	77.6

表8. 精度指標 : 部位別、性別

B. 上皮内がんを含む

奈良県

2014年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報で初めて把握された症例 DCN (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96 D00-D09	0.36	0.34	0.35	6.4	6.7	6.5	4.0	4.0	4.0	83.4	83.4	83.4	78.4	78.4	78.4
食道	C15 D001	0.43	0.35	0.42	4.9	12.2	6.1	2.4	8.2	3.4	89.9	79.6	88.2	89.9	77.6	87.8
大腸 (結腸・直腸) *1	C18-C20 D010-D012	0.24	0.28	0.26	3.9	6.5	5.0	2.8	3.4	3.1	91.8	87.1	89.8	91.3	86.7	89.4
結腸 *1	C18 D010	0.21	0.28	0.24	4.0	6.5	5.1	2.7	3.2	2.9	91.9	85.6	89.1	91.3	85.3	88.7
直腸 *1	C19-C20 D011-D012	0.29	0.29	0.29	3.9	6.7	4.9	3.0	3.8	3.3	91.5	91.0	91.3	91.2	90.5	90.9
肺	C33-C34 D021-D022	0.65	0.55	0.62	12.4	10.8	11.9	6.7	6.3	6.6	72.9	71.8	72.5	53.1	52.8	53.0
皮膚	C43-C44 D030-D049	0.07	0.06	0.07	0.6	1.4	1.0	0.0	1.4	0.7	98.2	97.9	98.0	97.0	97.9	97.4
乳房	C50 D05	0.00	0.15	0.14	0.0	1.9	1.9	0.0	1.8	1.8	100.0	93.8	93.9	100.0	90.7	90.8
子宮	C53-C55 D06	-	0.15	0.15	-	1.7	1.7	-	1.5	1.5	-	95.7	95.7	-	93.6	93.6
子宮頸部	C53 D06	-	0.11	0.11	-	0.3	0.3	-	0.3	0.3	-	98.0	98.0	-	96.6	96.6
膀胱	C67 D090	0.12	0.26	0.15	1.1	4.8	1.7	0.8	2.4	1.1	93.1	90.5	92.6	90.4	88.1	90.0

*1 粘膜がんを含む

表8. 精度指標 : 部位別、性別

B. 上皮内がんを含む

奈良県

2015年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報で初めて把握された症例 DCN (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96 D00-D09	0.35	0.32	0.34	5.1	5.9	5.4	3.3	3.9	3.5	85.5	86.1	85.7	80.5	82.1	81.1
食道	C15 D001	0.46	0.44	0.46	4.4	2.4	4.1	3.5	0.0	3.0	92.1	90.2	91.8	91.6	90.2	91.4
大腸 (結腸・直腸) *1	C18-C20 D010-D012	0.24	0.26	0.25	3.3	4.0	3.6	1.9	2.7	2.3	93.1	90.8	92.1	92.2	90.2	91.3
結腸 *1	C18 D010	0.26	0.28	0.27	3.7	4.5	4.1	2.1	3.2	2.6	92.5	90.8	91.6	91.3	90.2	90.8
直腸 *1	C19-C20 D011-D012	0.22	0.21	0.22	2.6	2.3	2.5	1.6	1.4	1.5	94.2	91.0	93.0	93.7	90.5	92.5
肺	C33-C34 D021-D022	0.67	0.55	0.63	11.0	11.6	11.2	6.6	7.3	6.8	75.7	75.9	75.8	57.1	62.4	58.9
皮膚	C43-C44 D030-D049	0.07	0.02	0.04	0.7	0.0	0.3	0.7	0.0	0.3	99.3	100.0	99.7	98.6	99.4	99.0
乳房	C50 D05	0.00	0.14	0.14	0.0	1.6	1.6	0.0	1.5	1.5	100.0	95.1	95.2	100.0	94.2	94.2
子宮	C53-C55 D06	-	0.11	0.11	-	1.4	1.4	-	1.1	1.1	-	96.9	96.9	-	95.1	95.1
子宮頸部	C53 D06	-	0.08	0.08	-	1.1	1.1	-	0.9	0.9	-	98.3	98.3	-	96.9	96.9
膀胱	C67 D090	0.15	0.20	0.16	1.8	4.3	2.3	1.8	4.3	2.3	95.4	91.3	94.6	92.6	88.0	91.7

*1 粘膜がんを含む

表9. 死亡数、死亡割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）及び累積死亡率（人口100対）： 部位別、性別 奈良県 2014年

部位	ICD-10	死亡数			死亡割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
全部位	C00-C97	2,425	1,652	4,077	100.0	100.0	100.0	376.9	229.0	298.7	166.4	85.7	120.4	113.9	60.0	83.2	11.7	6.2	8.8
口腔・咽頭	C00-C14	46	19	65	1.9	1.2	1.6	7.1	2.6	4.8	3.2	1.0	2.0	2.3	0.6	1.4	0.3	0.1	0.2
食道	C15	106	17	123	4.4	1.0	3.0	16.5	2.4	9.0	7.9	0.8	4.0	5.6	0.6	2.9	0.7	0.1	0.4
胃	C16	398	224	622	16.4	13.6	15.3	61.9	31.0	45.6	26.7	10.5	17.6	17.8	7.2	11.9	1.9	0.7	1.3
大腸（結腸・直腸）	C18-C20	251	217	468	10.4	13.1	11.5	39.0	30.1	34.3	19.1	10.5	14.4	13.7	7.2	10.2	1.5	0.7	1.1
結腸	C18	147	156	303	6.1	9.4	7.4	22.8	21.6	22.2	11.3	7.1	9.0	8.3	4.9	6.4	0.9	0.5	0.7
直腸	C19-C20	104	61	165	4.3	3.7	4.0	16.2	8.5	12.1	7.8	3.4	5.4	5.4	2.3	3.8	0.6	0.3	0.4
肝および肝内胆管	C22	242	118	360	10.0	7.1	8.8	37.6	16.4	26.4	16.3	5.0	10.0	10.6	3.2	6.5	1.0	0.3	0.6
胆のう・胆管	C23-C24	75	97	172	3.1	5.9	4.2	11.7	13.4	12.6	4.8	4.3	4.5	3.2	2.7	2.9	0.3	0.2	0.3
膵臓	C25	176	169	345	7.3	10.2	8.5	27.4	23.4	25.3	12.1	7.8	9.7	8.2	5.2	6.6	0.9	0.6	0.7
喉頭	C32	7	2	9	0.3	0.1	0.2	1.1	0.3	0.7	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
肺	C33-C34	638	256	894	26.3	15.5	21.9	99.2	35.5	65.5	42.4	12.4	25.4	28.6	8.5	17.2	3.0	0.9	1.9
皮膚	C43-C44	11	9	20	0.5	0.5	0.5	1.7	1.2	1.5	0.8	0.4	0.6	0.5	0.3	0.4	0.1	0.0	0.0
乳房	C50	0	146	146	0.0	8.8	3.6	0.0	20.2	10.7	0.0	11.4	6.1	0.0	8.5	4.6	0.0	1.0	0.5
子宮	C53-C55	-	70	-	-	4.2	-	-	9.7	-	-	4.8	-	-	3.4	-	-	0.3	-
子宮頸部	C53	-	32	-	-	1.9	-	-	4.4	-	-	2.4	-	-	1.7	-	-	0.2	-
子宮体部	C54	-	23	-	-	1.4	-	-	3.2	-	-	1.4	-	-	1.0	-	-	0.1	-
卵巣	C56	-	47	-	-	2.8	-	-	6.5	-	-	3.0	-	-	2.1	-	-	0.2	-
前立腺	C61	97	-	-	4.0	-	-	15.1	-	-	5.5	-	-	3.4	-	-	0.2	-	-
膀胱	C67	46	22	68	1.9	1.3	1.7	7.1	3.0	5.0	3.0	0.7	1.6	2.1	0.4	1.1	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	55	28	83	2.3	1.7	2.0	8.5	3.9	6.1	3.7	1.6	2.5	2.5	1.0	1.7	0.2	0.1	0.2
脳・中枢神経系	C70-C72	14	12	26	0.6	0.7	0.6	2.2	1.7	1.9	0.9	1.1	1.0	0.7	1.1	0.9	0.1	0.1	0.1
甲状腺	C73	8	10	18	0.3	0.6	0.4	1.2	1.4	1.3	0.7	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.1
悪性リンパ腫	C81-C85 C96	83	43	126	3.4	2.6	3.1	12.9	6.0	9.2	6.0	2.1	3.8	4.0	1.5	2.6	0.4	0.2	0.2
多発性骨髄腫	C88-C90	25	24	49	1.0	1.5	1.2	3.9	3.3	3.6	1.5	1.0	1.2	1.0	0.7	0.8	0.1	0.1	0.1
白血病	C91-C95	52	39	91	2.1	2.4	2.2	8.1	5.4	6.7	4.1	2.5	3.2	3.0	2.0	2.4	0.3	0.2	0.2

表9. 死亡数、死亡割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）及び累積死亡率（人口100対）： 部位別、性別 奈良県 2015年

部位	ICD-10	死亡数			死亡割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
全部位	C00-C97	2,430	1,619	4,049	100.0	100.0	100.0	380.0	225.3	298.2	161.4	81.8	115.9	109.7	56.9	79.6	11.2	5.7	8.2
口腔・咽頭	C00-C14	51	24	75	2.1	1.5	1.9	8.0	3.3	5.5	3.7	1.0	2.2	2.6	0.7	1.6	0.3	0.1	0.2
食道	C15	105	18	123	4.3	1.1	3.0	16.4	2.5	9.1	7.3	0.9	3.8	5.0	0.7	2.6	0.6	0.1	0.3
胃	C16	374	173	547	15.4	10.7	13.5	58.5	24.1	40.3	24.0	7.8	14.8	16.0	5.6	10.1	1.6	0.6	1.1
大腸（結腸・直腸）	C18-C20	266	229	495	10.9	14.1	12.2	41.6	31.9	36.5	17.7	10.0	13.4	12.2	6.8	9.2	1.3	0.6	1.0
結腸	C18	181	183	364	7.4	11.3	9.0	28.3	25.5	26.8	11.6	7.7	9.4	8.0	5.1	6.4	0.8	0.5	0.6
直腸	C19-C20	85	46	131	3.5	2.8	3.2	13.3	6.4	9.6	6.1	2.3	4.0	4.2	1.6	2.8	0.5	0.2	0.3
肝および肝内胆管	C22	220	117	337	9.1	7.2	8.3	34.4	16.3	24.8	14.5	4.7	9.0	9.5	3.0	5.8	0.9	0.2	0.5
胆のう・胆管	C23-C24	83	86	169	3.4	5.3	4.2	13.0	12.0	12.4	5.1	3.3	4.1	3.3	2.2	2.7	0.3	0.2	0.2
膵臓	C25	170	186	356	7.0	11.5	8.8	26.6	25.9	26.2	12.0	7.8	9.8	8.3	5.1	6.6	0.9	0.5	0.7
喉頭	C32	12	1	13	0.5	0.1	0.3	1.9	0.1	1.0	0.8	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
肺	C33-C34	609	254	863	25.1	15.7	21.3	95.2	35.4	63.6	40.1	12.9	24.7	27.1	8.7	16.7	2.8	1.0	1.8
皮膚	C43-C44	10	3	13	0.4	0.2	0.3	1.6	0.4	1.0	0.6	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
乳房	C50	0	137	137	0.0	8.5	3.4	0.0	19.1	10.1	0.0	11.6	6.2	0.0	8.9	4.7	0.0	1.0	0.5
子宮	C53-C55	-	63	-	-	3.9	-	-	8.8	-	-	4.1	-	-	3.0	-	-	0.3	-
子宮頸部	C53	-	28	-	-	1.7	-	-	3.9	-	-	1.9	-	-	1.3	-	-	0.1	-
子宮体部	C54	-	24	-	-	1.5	-	-	3.3	-	-	1.7	-	-	1.2	-	-	0.2	-
卵巣	C56	-	43	-	-	2.7	-	-	6.0	-	-	3.0	-	-	2.3	-	-	0.3	-
前立腺	C61	122	-	-	5.0	-	-	19.1	-	-	6.6	-	-	4.0	-	-	0.3	-	-
膀胱	C67	59	18	77	2.4	1.1	1.9	9.2	2.5	5.7	3.2	0.6	1.6	2.0	0.4	1.1	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	58	39	97	2.4	2.4	2.4	9.1	5.4	7.1	3.9	1.6	2.7	2.5	1.1	1.8	0.2	0.1	0.2
脳・中枢神経系	C70-C72	25	8	33	1.0	0.5	0.8	3.9	1.1	2.4	2.9	0.7	1.8	2.9	0.5	1.7	0.2	0.1	0.2
甲状腺	C73	6	15	21	0.2	0.9	0.5	0.9	2.1	1.5	0.5	0.5	0.5	0.3	0.3	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	74	59	133	3.0	3.6	3.3	11.6	8.2	9.8	5.1	2.6	3.7	3.5	1.7	2.5	0.3	0.1	0.2
多発性骨髄腫	C88-C90	25	23	48	1.0	1.4	1.2	3.9	3.2	3.5	1.5	1.1	1.3	1.0	0.6	0.8	0.1	0.1	0.1
白血病	C91-C95	56	38	94	2.3	2.3	2.3	8.8	5.3	6.9	4.6	2.3	3.3	3.4	1.5	2.4	0.3	0.1	0.2

表10. 年齢階級別死亡数、死亡割合(%)； 部位別、性別

奈良県 2015年

性別	部位	ICD-10	総数	0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上		不詳			
				死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)				
男	全部位	C00-C97	2,430	2	100.0	1	100.0	1	100.0	0	0.0	1	100.0	0	0.0	2	100.0	8	100.0	10	100.0	28	100.0	44	100.0	79	100.0	147	100.0	331	100.0	373	100.0	417	100.0	466	100.0	522	100.0	0	0.0		
	口腔・咽頭	C00-C14	51	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	4	5.1	7	4.8	7	2.1	11	2.9	3	0.7	7	1.5	11	2.1	0	0.0
	食道	C15	105	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.6	2	4.5	5	6.3	9	6.1	17	5.1	22	5.9	18	4.3	14	3.0	17	3.3	0	0.0
	胃	C16	374	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	4	14.3	5	11.4	13	16.5	17	11.6	51	15.4	60	16.1	66	15.8	75	18.1	82	15.7	0	0.0				
	大腸(結腸・直腸)	C18-C20	266	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	10.0	3	10.7	6	13.6	8	10.1	14	9.5	51	15.4	41	11.0	39	9.4	42	9.0	60	11.5	0	0.0		
	結腸	C18	181	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	2	7.1	5	11.4	3	3.8	7	4.8	36	10.9	26	7.0	24	5.8	29	6.2	48	9.2	0	0.0		
	直腸	C19-C20	85	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	1	3.6	1	2.3	5	6.3	7	4.8	15	4.5	15	4.0	15	3.6	13	2.8	12	2.3	0	0.0		
	肝および肝内胆管	C22	220	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	3.6	6	13.6	10	12.7	14	9.5	19	5.7	29	7.8	38	9.1	54	11.6	48	9.2	0	0.0		
	胆のう・胆管	C23-C24	83	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	3	3.8	5	3.4	4	1.2	16	4.3	10	2.4	22	4.7	22	4.2	0	0.0		
	膵臓	C25	170	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	5	17.9	3	6.8	7	8.9	13	8.8	27	8.2	30	8.0	27	6.5	32	6.9	25	4.8	0	0.0				
	喉頭	C32	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	4	1.2	1	0.3	4	1.0	2	0.4	0	0.0				
	肺	C33-C34	609	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	33.3	1	10.0	11	39.3	9	29.5	16	20.3	38	25.9	83	25.1	98	26.3	112	26.9	110	23.6	129	24.7	0	0.0				
	皮膚	C43-C44	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	2	0.4	5	1.0	0	0.0		
	乳房	C50	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	前立腺	C61	122	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	0.7	9	2.7	15	4.0	21	5.0	37	7.9	38	7.3	0	0.0
	膀胱	C67	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	5	1.5	10	2.7	6	1.4	15	3.2	22	4.2	0	0.0		
	腎・尿路(膀胱除く)	C64-C66 C68	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	4	5.1	3	2.0	8	2.4	6	1.6	16	3.8	11	2.4	9	1.7	0	0.0		
	脳・中枢神経系	C70-C72	25	2	100.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	16.7	0	0.0	0	0.0	0	0.0	3	6.8	1	1.3	3	2.0	5	1.5	3	0.8	1	0.2	4	0.9	0	0.0		
	甲状腺	C73	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	2	0.6	1	0.3	1	0.2	1	0.2	0	0.0		
	悪性リンパ腫	C81-C85 C96	74	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	2	7.1	1	2.3	4	5.1	4	2.7	10	2.7	10	2.7	15	3.6	11	2.4	16	3.1	0	0.0				
	多発性骨髄腫	C88-C90	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	6	1.8	2	0.5	7	1.7	3	0.6	5	1.0	0	0.0		
	白血病	C91-C95	56	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	16.7	2	20.0	1	3.6	2	4.5	1	1.3	8	5.4	5	1.5	5	1.3	10	2.4	7	1.5	12	2.3	0	0.0
	女	全部位	C00-C97	1,619	0	0.0	0	0.0	0	0.0	1	100.0	1	100.0	0	0.0	2	100.0	8	100.0	15	100.0	30	100.0	46	100.0	57	100.0	97	100.0	151	100.0	171	100.0	235	100.0	274	100.0	531	100.0	0	0.0	
		口腔・咽頭	C00-C14	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	2	2.1	2	1.3	1	0.6	2	0.9	4	1.5	12	2.3	0	0.0	
		食道	C15	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.8	3	3.1	3	2.0	2	1.2	2	0.9	1	0.4	6	1.1	0	0.0	
		胃	C16	173	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	12.5	3	20.0	1	3.3	1	2.2	7	12.3	8	8.2	20	13.2	17	9.9	17	7.2	18	6.6	79	14.9	0	0.0			
		大腸(結腸・直腸)	C18-C20	229	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	1	6.7	2	6.7	3	6.5	7	12.3	12	12.4	16	10.6	24	14.0	29	12.3	43	15.7	91	17.1	0	0.0			
		結腸	C18	183	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	0	0.0	2	6.7	2	4.3	4	7.0	9	9.3	11	7.3	19	11.1	23	9.8	37	13.5	75	14.1	0	0.0			
		直腸	C19-C20	46	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	0	0.0	1	2.2	3	5.3	3	3.1	5	3.3	5	2.9	6	2.6	6	2.2	16	3.0	0	0.0			
		肝および肝内胆管	C22	117	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	2	3.5	2	2.1	12	7.9	6	3.5	22	9.4	29	10.6	42	7.9	0	0.0	
胆のう・胆管		C23-C24	86	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	0	0.0	5	5.2	3	2.0	8	4.7	11	4.7	21	7.7	36	6.8	0	0.0		
膵臓		C25	186	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0	0	0.0	2	4.3	3	5.3	8	8.2	12	7.9	24	14.0	32	13.6	38	13.9	66	12.4	0	0.0		
喉頭		C32	1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0				
肺		C33-C34	254	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	13.3	5	16.7	7	15.2	10	17.5	9	9.3	26	17.2	4															

表11. 年齢階級別死亡率（人口10万対）： 部位別、性別

奈良県

2014年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
男	全部位	C00-C97	2,425	7.6	3.5	3.1	2.8	0.0	9.6	17.6	9.7	18.5	44.5	150.7	192.3	362.4	644.3	875.4	1,345.5	2,022.2	3,154.9	0.0		
	口腔・咽頭	C00-C14	46	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	2.6	2.6	6.2	15.8	22.1	21.8	28.3	58.2	0.0		
	食道	C15	106	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	10.2	18.0	20.8	37.6	53.1	52.9	42.4	97.0	0.0	
	胃	C16	398	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.3	28.1	25.6	47.9	122.5	157.0	239.8	348.8	439.6	0.0	
	大腸（結腸・直腸）	C18-C20	251	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	4.8	4.1	14.1	33.2	20.5	52.1	71.1	99.5	124.6	127.3	297.4	0.0	
	結腸	C18	147	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	4.1	14.1	17.9	15.4	33.3	27.7	59.7	56.1	70.7	226.3	0.0	
	直腸	C19-C20	104	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	15.3	5.1	18.7	43.5	39.8	68.5	56.6	71.1	0.0	
	肝および肝内胆管	C22	242	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	7.0	10.2	15.4	39.6	59.3	57.5	180.6	273.4	239.2	0.0	0.0	
	胆のう・胆管	C23-C24	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	10.3	8.3	17.8	15.5	43.6	70.7	135.8	0.0	
	膵臓	C25	176	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	10.2	15.4	35.4	39.5	68.5	112.1	127.3	213.3	0.0	
	喉頭	C32	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6.6	0.0	4.7	12.9	0.0	
	肺	C33-C34	638	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	11.7	33.2	51.3	85.4	183.8	221.1	339.5	546.8	898.6	0.0	
	皮膚	C43-C44	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	2.0	6.6	3.1	18.9	6.5	0.0
	乳房	C50	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	前立腺	C61	97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.2	11.9	30.9	56.1	108.4	213.3	0.0	
	膀胱	C67	46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	2.6	5.1	6.2	5.9	13.3	18.7	23.6	122.8	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	55	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.4	0.0	0.0	0.0	0.0	2.6	8.3	15.8	17.7	21.8	70.7	64.6	0.0	
	脳・中枢神経系	C70-C72	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	4.0	2.2	3.1	9.4	25.9	0.0	
	甲状腺	C73	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	2.1	4.0	8.8	0.0	0.0	0.0	
	悪性リンパ腫	C81-C85 C96	83	0.0	0.0	0.0	2.8	0.0	0.0	2.9	0.0	0.0	2.3	2.6	12.8	16.7	7.9	22.1	46.7	108.4	90.5	0.0	0.0	
	多発性骨髄腫	C88-C90	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.0	13.3	12.5	18.9	45.3	0.0	0.0	
	白血病	C91-C95	52	3.8	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	0.0	5.1	7.7	8.3	9.9	13.3	37.4	47.1	45.3	0.0	0.0	
	女	全部位	C00-C97	1,652	0.0	3.6	6.5	5.8	3.0	6.0	11.0	13.8	51.6	37.8	80.6	130.8	183.4	301.0	401.2	595.5	931.9	1,338.7	0.0	
		口腔・咽頭	C00-C14	19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.9	3.5	7.8	5.2	19.1	8.1	0.0
		食道	C15	17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.7	3.5	3.9	2.6	3.2	21.5	0.0
		胃	C16	224	0.0	0.0	0.0	0.0	0.0	3.0	5.5	2.3	7.6	0.0	4.6	18.4	20.6	31.1	40.9	65.3	136.8	236.6	0.0	0.0
		大腸（結腸・直腸）	C18-C20	217	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	4.2	9.2	18.4	20.6	48.4	42.8	75.7	111.3	201.6	0.0	0.0
		結腸	C18	156	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	4.2	2.3	9.2	13.1	34.6	27.3	49.6	82.7	161.3	0.0	0.0
		直腸	C19-C20	61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	9.2	7.5	13.8	15.6	26.1	28.6	40.3	0.0
		肝および肝内胆管	C22	118	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	7.5	19.0	35.1	60.1	60.4	110.2	0.0	0.0
		胆のう・胆管	C23-C24	97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	0.0	13.1	5.2	27.3	49.6	79.5	72.6	0.0	0.0
膵臓		C25	169	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	3.8	2.1	0.0	6.9	11.2	39.8	46.7	47.0	111.3	147.9	0.0	0.0	
喉頭		C32	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	
肺		C33-C34	256	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	11.5	16.1	31.8	45.0	68.2	107.1	133.6	212.4	0.0	0.0	
皮膚		C43-C44	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.9	1.7	1.9	0.0	3.2	10.8	0.0	
乳房		C50	146	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	17.2	14.7	23.0	29.8	28.1	41.5	42.8	23.5	50.9	51.1	0.0	0.0	
子宮		C53-C55	70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	7.6	2.1	9.2	6.9	13.1	13.8	7.8	31.3	47.7	26.9	0.0	0.0	
子宮頸部		C53	32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	3.8	2.1	4.6	4.6	5.6	5.2	0.0	15.7	19.1	13.4	0.0	0.0	
子宮体部		C54	23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.3	5.6	8.7	5.8	10.4	12.7	5.4	0.0	
卵巣		C56	47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.3	6.9	7.5	8.7	17.5	26.1	9.5	24.2	0.0	
膀胱		C67	22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.9	7.8	12.7	32.3	0.0	
腎・尿路（膀胱除く）		C64-C66 C68	28	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	2.1	2.3	2.3	0.0	5.2	3.9	7.8	28.6	18.8	0.0	0.0	
脳・中枢神経系		C70-C72	12	0.0	3.6	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	3.7	0.0	3.9	5.2	0.0	5.4	0.0	0.0	
甲状腺		C73	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.7	3.9	0.0	6.4	10.8	0.0	0.0	
悪性リンパ腫		C81-C85 C96	43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	2.3	9.4	5.2	9.7	18.3	12.7	43.0	0.0	
多発性骨髄腫		C88-C90	24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	6.9	7.8	7.8	12.7	21.5	0.0	0.0	
白血病		C91-C95	39	0.0	0.0	6.5	2.9	0.0	0.0	0.0	0.0	1.9	0.0	0.0	6.9	0.0	3.5	13.6	15.7	31.8	18.8	0.0	0.0	
総数		全部位	C00-C97	4,077	3.9	3.5	4.7	4.3	1.5	7.8	14.2	11.8	35.6	41.0	113.9	159.9	268.1	461.3	623.3	937.6	1,371.2	1,872.1	0.0	
		口腔・咽頭	C00-C14	65	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	2.4	1.2	3.9	9.2	14.5	12.8	22.8	22.8	0.0	
		食道	C15	123	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	6.1	8.5	11.8	19.4	26.9	25.6	19.0	43.7	0.0	
		胃	C16	622	0.0	0.0	0.0	0.0	0.0	1.6	4.3	1.2	4.0	1.1	15.7	21.8	33.5	73.8	95.3	144.9	222.2	296.2	0.0	
		大腸（結腸・直腸）	C18-C20	468	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.4	4.9	8.9	20.6	19.4	35.5	59.0	69.4	98.0	117.7	229.7	0.0	
		結腸	C18	303	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.9	8.9	9.7	12.1	22.7	31.4	42.5	52.6	77.9	180.4	0.0	
	直腸	C19-C20	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	10.9	7.3	12.8	27.7	26.9	45.5	39.9	49.4	0.0		
	肝および肝内胆管	C22	360	0.0	0.0	0.0																		

表11. 年齢階級別死亡率(人口10万対)； 部位別、性別

奈良県 2015年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	2430	7.7	3.5	3.2	0.0	3.1	0.0	6.0	15.4	20.6	65.1	109.6	206.1	324.8	621.4	847.7	1,265.8	2,114.6	3,207.4	0.0	
	口腔・咽頭	C00-C14	51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	10.4	15.5	13.1	25.0	9.1	31.8	67.6	0.0
	食道	C15	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.0	13.0	19.9	31.9	50.0	54.6	63.5	104.5	0.0
	胃	C16	374	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.3	12.5	33.9	37.6	95.7	136.4	200.3	340.3	503.8	0.0
	大腸(結腸・直腸)	C18-C20	266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.1	7.0	14.9	20.9	30.9	95.7	93.2	118.4	190.6	368.7	0.0
	結腸	C18	181	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.6	12.5	7.8	15.5	67.6	59.1	72.9	131.6	294.9	0.0
	直腸	C19-C20	85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	2.3	2.5	13.0	15.5	28.2	34.1	45.5	59.0	73.7	0.0
	肝および肝内胆管	C22	220	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	14.9	26.1	30.9	35.7	65.9	115.3	245.0	294.9	0.0
	胆のう・胆管	C23-C24	83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	7.8	11.0	7.5	36.4	30.4	99.8	135.2	0.0
	膵臓	C25	170	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	11.6	7.5	18.3	28.7	50.7	68.2	82.0	145.2	153.6	0.0
	喉頭	C32	12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.5	12.1	9.1	0.0	0.0
	肺	C33-C34	609	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	2.1	25.6	22.4	41.7	84.0	155.6	222.7	340.0	499.2	792.6	0.0
	皮膚	C43-C44	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	6.1	9.1	30.7	0.0
	乳房	C50	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	前立腺	C61	122	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.2	16.9	34.1	63.7	167.9	233.5	0.0
	膀胱	C67	59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	9.4	22.7	18.2	68.1	135.2	0.0	
	腎・尿路(膀胱除く)	C64-C66 C68	58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	10.4	6.6	15.0	13.6	48.6	49.9	55.3	0.0
	脳・中枢神経系	C70-C72 C75.1-C75.5	25	7.7	3.5	0.0	0.0	0.0	0.0	3.0	2.6	0.0	0.0	0.0	7.5	2.6	6.6	9.4	6.8	3.0	18.2	0.0	0.0
	甲状腺	C73	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.8	2.3	3.0	4.5	0.0	0.0
	悪性リンパ腫	C81-C85	74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.6	2.5	10.4	8.8	18.8	22.7	45.5	49.9	98.3	0.0
多発性骨髄腫	C88-C90 C96	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	11.3	4.5	21.2	13.6	30.7	0.0	
白血病	C91-C95	56	0.0	0.0	3.2	0.0	0.0	0.0	0.0	3.0	2.6	4.1	2.3	5.0	2.6	17.7	9.4	11.4	30.4	31.8	73.7	0.0	
女	全部位	C00-C97	1,619	0.0	0.0	0.0	2.9	3.0	0.0	5.7	19.3	29.0	62.6	102.8	133.2	193.0	246.5	338.1	596.4	850.9	1,381.5	0.0	
	口腔・咽頭	C00-C14	24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.0	3.3	2.0	5.1	12.4	31.2	0.0
	食道	C15	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.0	4.9	4.0	5.1	3.1	15.6	0.0	
	胃	C16	173	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.4	5.8	2.1	2.2	16.4	15.9	32.7	33.6	55.9	55.9	205.5	0.0	
	大腸(結腸・直腸)	C18-C20	229	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.9	4.2	6.7	16.4	23.9	26.1	47.5	73.8	133.5	236.8	0.0	
	結腸	C18	183	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	4.2	4.5	9.4	17.9	18.0	37.6	58.6	114.9	195.1	0.0	
	直腸	C19-C20	46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	2.2	7.0	6.0	8.2	9.9	15.3	18.6	41.6	0.0	
	肝および肝内胆管	C22	117	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.7	4.0	19.6	11.9	56.0	90.1	109.3	0.0	
	胆のう・胆管	C23-C24	86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	10.0	4.9	15.8	28.0	65.2	93.7	0.0	
	膵臓	C25	186	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	4.5	7.0	15.9	19.6	47.5	81.5	118.0	171.7	0.0	
	喉頭	C32	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	
	肺	C33-C34	254	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	10.4	15.6	23.4	17.9	42.4	79.1	94.2	149.1	182.1	0.0
	皮膚	C43-C44	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	5.2	0.0
	乳房	C50	137	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.6	5.8	27.1	35.7	23.4	37.8	27.8	31.6	22.9	31.1	52.0	0.0	
	子宮	C53-C55	63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.1	11.2	16.4	8.0	11.4	15.8	28.0	18.6	33.8	0.0
	子宮頸部	C53	28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	4.5	9.4	4.0	4.9	4.0	15.3	6.2	15.6	0.0
	子宮体部	C54	24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.0	4.0	6.5	11.9	7.6	3.1	7.8	0.0
	卵巣	C56	43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	6.3	2.2	9.4	8.0	11.4	7.9	15.3	3.1	28.6	0.0
	膀胱	C67	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	3.3	0.0	7.6	0.0	31.2	0.0
	腎・尿路(膀胱除く)	C64-C66 C68	39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.3	8.0	0.0	7.9	5.1	34.2	41.6	0.0
脳・中枢神経系	C70-C72 C75.1-C75.5	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	6.0	1.6	0.0	5.1	0.0	0.0	0.0	
甲状腺	C73	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.0	7.6	9.3	18.2	0.0		
悪性リンパ腫	C81-C85	59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.1	2.2	0.0	4.0	3.3	13.8	30.6	49.7	44.2	0.0	
多発性骨髄腫	C88-C90 C96	23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	5.9	28.0	9.3	7.8	0.0		
白血病	C91-C95	38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.2	0.0	4.7	4.0	8.2	0.0	38.2	21.7	10.4	0.0	
男女計	全部位	C00-C97	4,049	3.9	1.8	1.6	1.4	3.0	0.0	5.9	17.4	24.9	63.8	106.0	167.7	255.5	420.9	575.2	902.8	1,384.3	1,924.6	0.0	
	口腔・咽頭	C00-C14	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.9	9.4	7.9	12.7	6.9	20.3	42.0	0.0
	食道	C15	123	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	7.4	12.6	17.5	25.4	27.7	27.7	42.0	0.0	
	胃	C16	547	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.2	4.0	5.5	7.1	24.7	26.2	62.0	81.4	114.9	171.5	294.3	0.0	
	大腸(結腸・直腸)	C18-C20	495	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.0	5.5	10.6	18.5	27.2	58.5	68.7	94.2	156.7	276.0	0.0	
	結腸	C18	364	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	4.4	8.2	8.6	16.8	41.0	47.6	65.1	121.7	224.8	0.0	
	直腸	C19-C20	131	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.1	2.4	9.9	10.5	17.5	21.1	29.1	35.0	51.2	0.0	
	肝および肝内胆管	C22	337	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.1	9.4	14.8	16.8	27.1	37.0	83.1	153.0	164.5	

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

奈良県

2014年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)			累積罹患率(0-74歳) (人口100対)					
		男	女	総数	男	女	総数	男	女	総数	日本人口		世界人口		累積罹患率(0-74歳) (人口100対)				
											男	女	総数	男	女	総数			
全部位	C00-C96	6,291	4,433	10,725	100.0	100.0	100.0	971.3	609.9	780.2	471.0	320.4	385.4	331.7	238.2	278.5	38.7	26.4	32.1
口唇	C00	2	0	2	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	5	0	5	0.1	0.0	0.0	0.8	0.0	0.4	0.4	0.0	0.2	0.3	0.0	0.2	0.0	0.0	0.0
その他および部位不明の舌	C02	38	23	61	0.6	0.5	0.6	5.9	3.2	4.4	3.9	2.6	3.1	2.9	2.0	2.4	0.3	0.2	0.3
歯肉	C03	11	13	24	0.2	0.3	0.2	1.7	1.8	1.7	0.8	0.7	0.7	0.5	0.5	0.4	0.0	0.0	0.0
口腔底	C04	8	3	11	0.1	0.1	0.1	1.2	0.4	0.8	0.8	0.2	0.5	0.6	0.2	0.4	0.1	0.0	0.0
口蓋	C05	5	1	6	0.1	0.0	0.1	0.8	0.1	0.4	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
その他および部位不明の口腔	C06	7	4	11	0.1	0.1	0.1	1.1	0.6	0.8	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
耳下腺	C07	7	7	14	0.1	0.2	0.1	1.1	1.0	1.0	0.7	0.6	0.6	0.6	0.4	0.5	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	4	4	8	0.1	0.1	0.1	0.6	0.6	0.6	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
扁桃	C09	11	1	12	0.2	0.0	0.1	1.7	0.1	0.9	1.0	0.1	0.5	0.8	0.1	0.4	0.1	0.0	0.1
中咽頭	C10	8	2	10	0.1	0.0	0.1	1.2	0.3	0.7	0.6	0.2	0.4	0.4	0.1	0.3	0.1	0.0	0.0
鼻<上>咽頭	C11	4	4	8	0.1	0.1	0.1	0.6	0.6	0.6	0.4	0.3	0.3	0.3	0.2	0.3	0.0	0.0	0.0
梨状陥凹<洞>	C12	22	1	23	0.3	0.0	0.2	3.4	0.1	1.7	1.9	0.1	0.9	1.4	0.0	0.7	0.2	0.0	0.1
下咽頭	C13	21	1	22	0.3	0.0	0.2	3.2	0.1	1.6	1.5	0.1	0.7	1.1	0.1	0.6	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	2	0	2	0.0	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
食道	C15	230	45	275	3.7	1.0	2.6	35.5	6.2	20.0	17.8	3.0	9.8	12.7	2.2	7.0	1.7	0.3	0.9
胃	C16	1,140	551	1,691	18.1	12.4	15.8	176.0	75.8	123.0	81.6	31.7	54.1	55.5	22.1	37.2	6.6	2.5	4.5
小腸	C17	22	15	37	0.3	0.3	0.3	3.4	2.1	2.7	1.9	0.9	1.4	1.4	0.7	1.0	0.1	0.1	0.1
結腸	C18	503	445	948	8.0	10.0	8.8	77.7	61.2	69.0	39.0	25.3	31.5	27.7	17.6	22.2	3.2	2.0	2.6
直腸S状結腸移行部	C19	61	32	93	1.0	0.7	0.9	9.4	4.4	6.8	5.2	2.4	3.7	3.8	1.8	2.7	0.5	0.2	0.3
盲腸	C20	242	143	385	3.8	3.2	3.6	37.4	19.7	28.0	20.3	10.0	14.7	14.7	7.3	10.7	1.7	0.9	1.3
肛門および肛門管	C21	8	6	14	0.1	0.1	0.1	1.2	0.8	1.0	0.7	0.4	0.5	0.6	0.3	0.4	0.1	0.0	0.1
肝および肝内胆管	C22	368	170	538	5.8	3.8	5.0	56.8	23.4	39.1	27.6	8.5	17.1	19.1	5.9	11.9	2.1	0.6	1.3
胆のう	C23	45	60	105	0.7	1.4	1.0	6.9	8.3	7.6	3.2	2.9	3.0	2.2	1.9	2.0	0.2	0.2	0.2
その他および部位不明の胆道	C24	58	61	119	0.9	1.4	1.1	9.0	8.4	8.7	3.7	3.2	3.4	2.4	2.1	2.2	0.2	0.2	0.2
膵臓	C25	221	213	434	3.5	4.8	4.0	34.1	29.3	31.6	16.2	10.6	13.1	11.4	7.2	9.1	1.3	0.8	1.1
その他および部位不明の消化器	C26	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻筋および中耳	C30	3	1	4	0.0	0.0	0.0	0.5	0.1	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
副鼻腔	C31	9	3	12	0.1	0.1	0.1	1.4	0.4	0.9	0.6	0.2	0.4	0.4	0.1	0.2	0.1	0.0	0.0
喉頭	C32	46	6	52	0.7	0.1	0.5	7.1	0.8	3.8	3.5	0.5	1.8	2.5	0.4	1.3	0.3	0.0	0.2
気管	C33	0	1	1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	980	463	1,443	15.6	10.4	13.5	151.3	63.7	105.0	67.7	26.6	44.6	45.9	18.5	30.5	5.2	2.2	3.6
胸腺	C37	6	6	12	0.1	0.1	0.1	0.9	0.8	0.9	0.6	0.5	0.5	0.5	0.4	0.4	0.1	0.0	0.0
心臓、縦隔および胸膜	C38	6	3	9	0.1	0.1	0.1	0.9	0.4	0.7	0.6	0.1	0.4	0.6	0.1	0.3	0.1	0.0	0.0
その他および部位不明の呼吸器および胸腺内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 骨および関節軟骨	C40	3	0	3	0.0	0.0	0.0	0.5	0.0	0.2	0.6	0.0	0.3	0.7	0.0	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	6	5	11	0.1	0.1	0.1	0.9	0.7	0.8	0.7	0.6	0.6	0.7	0.5	0.6	0.1	0.0	0.0
皮膚の悪性黒色腫	C43	17	10	27	0.3	0.2	0.3	2.6	1.4	2.0	1.6	0.7	1.1	1.2	0.5	0.8	0.2	0.0	0.1
皮膚のその他	C44	107	101	208	1.7	2.3	1.9	16.5	13.9	15.1	7.8	5.3	6.4	5.4	3.8	4.5	0.5	0.3	0.4
中皮腫	C45	10	5	15	0.2	0.1	0.1	1.5	0.7	1.1	0.6	0.2	0.4	0.4	0.1	0.3	0.0	0.0	0.0
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
後腹膜および腹膜	C48	3	18	21	0.0	0.4	0.2	0.5	2.5	1.5	0.2	1.5	0.9	0.2	1.1	0.7	0.0	0.1	0.1
その他の結合組織および軟部組織	C49	22	14	36	0.3	0.3	0.3	3.4	1.9	2.6	2.3	1.4	1.8	1.7	1.1	1.3	0.2	0.1	0.1
乳房	C50	10	928	938	0.2	20.9	8.7	1.5	127.7	68.2	0.9	91.0	48.6	0.6	70.6	37.6	0.1	7.7	4.1
外陰	C51	-	7	-	-	0.2	-	-	-	-	-	0.3	-	-	0.3	-	-	0.0	-
陰	C52	-	6	-	-	0.1	-	-	0.8	-	-	0.4	-	-	0.3	-	-	0.0	-
子宮頸部	C53	-	125	-	-	2.8	-	-	17.2	-	-	13.3	-	-	10.3	-	-	1.0	-
子宮体部	C54	-	162	-	-	3.7	-	-	22.3	-	-	15.6	-	-	12.0	-	-	1.4	-
子宮部位不明	C55	-	9	-	-	0.2	-	-	1.2	-	-	0.5	-	-	0.4	-	-	0.0	-
卵巣	C56	-	117	-	-	2.6	-	-	16.1	-	-	11.1	-	-	8.7	-	-	0.9	-
その他および部位不明の女性生殖器	C57	-	2	-	-	0.0	-	-	0.3	-	-	0.1	-	-	0.1	-	-	0.0	-
陰嚢	C58	-	0	-	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	4	-	-	-	0.1	-	-	0.6	-	-	0.2	-	-	0.1	-	-	0.0	-
前立腺	C61	1,062	-	-	-	16.9	-	-	164.0	-	-	72.4	-	-	49.1	-	-	6.4	-
精巣	C62	19	-	-	-	0.3	-	-	2.9	-	-	3.6	-	-	3.0	-	-	0.2	-
その他および部位不明の男性生殖器	C63	6	-	-	-	0.1	-	-	0.9	-	-	0.5	-	-	0.5	-	-	0.0	-
腎盂を除く腎	C64	164	66	230	2.6	1.5	2.1	25.3	9.1	16.7	14.5	4.8	9.3	10.8	3.5	6.9	1.3	0.4	0.9
腎盂	C65	38	20	58	0.6	0.5	0.5	5.9	2.8	4.2	2.7	0.8	1.7	2.0	0.5	1.1	0.3	0.0	0.2
尿管	C66	28	18	46	0.4	0.4	0.4	4.3	2.5	3.3	1.8	0.9	1.3	1.2	0.6	0.9	0.1	0.1	0.1
膀胱	C67	236	58	294	3.8	1.3	2.7	36.4	8.0	21.4	16.4	2.9	8.9	11.2	2.0	6.1	1.4	0.2	0.8
その他および部位不明の泌尿器	C68	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
眼および付属器	C69	3	0	3	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
聴覚	C70	5	5	10	0.1	0.1	0.1	0.8	0.7	0.7	0.6	0.4	0.5	0.7	0.3	0.5	0.0	0.0	0.0
脳	C71	24	26	50	0.4	0.6	0.5	3.7	3.6	3.6	2.9	2.6	2.7	2.7	2.6	2.6	0.2	0.2	0.2
脊髄、脳神経および中枢神経系の他の部位	C72	0																	

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

奈良県

2015年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)						累積罹患率(0-74歳) (人口100対)		
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
全部位	C00-C96	6,426	4,433	10,859	100.0	100.0	100.0	998.3	612.4	794.2	474.2	318.1	385.7	333.2	237.4	278.8	39.8	26.5	32.7
口唇	C00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	4	3	7	0.1	0.1	0.1	0.6	0.4	0.5	0.3	0.3	0.3	0.2	0.3	0.2	0.0	0.0	0.0
その他および部位不明の舌	C02	41	23	64	0.6	0.5	0.6	6.4	3.2	4.7	3.2	1.7	2.4	2.3	1.3	1.8	0.3	0.1	0.2
歯肉	C03	18	16	34	0.3	0.4	0.3	2.8	2.2	2.5	1.1	1.0	1.0	0.7	0.7	0.7	0.1	0.1	0.1
口腔底	C04	6	3	9	0.1	0.1	0.1	0.9	0.4	0.7	0.5	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
口蓋	C05	8	2	10	0.1	0.0	0.1	1.2	0.3	0.7	0.8	0.1	0.4	0.6	0.1	0.3	0.0	0.0	0.0
その他および部位不明の口腔	C06	9	8	17	0.1	0.2	0.2	1.4	1.1	1.2	0.6	0.3	0.4	0.4	0.3	0.3	0.0	0.0	0.0
耳下腺	C07	9	5	14	0.1	0.1	0.1	1.4	0.7	1.0	0.7	0.3	0.5	0.5	0.3	0.4	0.1	0.0	0.1
その他および部位不明の大唾液腺	C08	3	1	4	0.0	0.0	0.0	0.5	0.1	0.3	0.5	0.1	0.2	0.4	0.0	0.2	0.0	0.0	0.0
扁桃	C09	10	2	12	0.2	0.0	0.1	1.6	0.3	0.9	1.0	0.2	0.6	0.8	0.1	0.4	0.1	0.0	0.1
中咽頭	C10	18	0	18	0.3	0.0	0.2	2.8	0.0	1.3	1.6	0.0	0.8	1.2	0.0	0.6	0.1	0.0	0.1
鼻<上>咽頭	C11	11	2	13	0.2	0.0	0.1	1.7	0.3	1.0	1.1	0.1	0.6	0.9	0.1	0.4	0.1	0.0	0.1
梨状窩凹く洞>	C12	21	2	23	0.3	0.0	0.2	3.3	0.3	1.7	1.6	0.1	0.8	1.2	0.1	0.6	0.2	0.0	0.1
下咽頭	C13	19	1	20	0.3	0.0	0.2	3.0	0.1	1.5	1.5	0.1	0.7	1.1	0.0	0.5	0.2	0.0	0.1
その他および部位不明の口腔、口腔および咽頭	C14	1	2	3	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
食道	C15	210	36	246	3.3	0.8	2.3	32.6	5.0	18.0	16.1	2.8	8.8	11.5	2.0	6.3	1.5	0.3	0.9
胃	C16	1,194	530	1,724	18.6	12.0	15.9	185.5	73.2	126.1	85.4	30.7	55.2	58.8	22.0	38.5	7.1	2.5	4.7
小腸	C17	17	17	34	0.3	0.4	0.3	2.6	2.3	2.5	1.6	1.3	1.4	1.2	1.0	1.1	0.1	0.1	0.1
結腸	C18	497	528	1,025	7.7	11.9	9.4	77.2	72.9	74.9	35.5	31.3	33.0	24.6	22.3	23.2	2.9	2.7	2.8
直腸S状結腸移行部	C19	61	40	101	0.9	0.9	0.9	9.5	5.5	7.4	4.5	3.0	3.6	3.2	2.2	2.6	0.4	0.2	0.3
直腸	C20	252	147	399	3.9	3.3	3.7	39.1	20.3	29.2	21.5	9.6	15.1	15.6	6.9	11.0	2.0	0.8	1.4
肛門および肛門管	C21	8	8	16	0.1	0.2	0.1	1.2	1.1	1.2	0.7	0.7	0.7	0.5	0.5	0.5	0.1	0.1	0.1
肝および肝内胆管	C22	351	152	503	5.5	3.4	4.6	54.5	21.0	36.9	23.9	7.7	14.9	15.8	5.2	10.0	1.8	0.5	1.1
胆のう	C23	46	49	95	0.7	1.1	0.9	7.1	6.8	6.9	3.0	2.2	2.5	1.9	1.5	1.7	0.2	0.2	0.2
その他および部位不明の胆道	C24	82	53	135	1.3	1.2	1.2	12.7	7.3	9.9	5.3	2.4	3.6	3.6	1.5	2.4	0.4	0.1	0.3
総胆管	C25	254	195	449	4.0	4.4	4.1	39.5	26.9	32.8	18.7	10.0	14.0	12.8	6.9	9.6	1.4	0.8	1.1
その他および部位不明の消化器	C26	5	6	11	0.1	0.1	0.1	0.8	0.8	0.8	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
鼻腔および中耳	C30	7	2	9	0.1	0.0	0.1	1.1	0.3	0.7	0.7	0.1	0.4	0.5	0.1	0.3	0.0	0.0	0.0
副鼻腔	C31	16	8	24	0.2	0.2	0.2	2.5	1.1	1.8	1.3	0.5	0.9	1.0	0.4	0.7	0.1	0.1	0.1
喉頭	C32	64	4	68	1.0	0.1	0.6	9.9	0.6	5.0	4.8	0.2	2.3	3.4	0.1	1.6	0.4	0.0	0.2
気管	C33	1	1	2	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
気管支および肺	C34	907	463	1,370	14.1	10.4	12.6	140.9	64.0	100.2	63.2	27.8	43.4	43.3	19.5	30.0	5.0	2.4	3.6
胸腺	C37	9	3	12	0.1	0.1	0.1	1.4	0.4	0.9	0.8	0.2	0.5	0.6	0.2	0.4	0.1	0.0	0.0
心臓、縦隔および胸膜	C38	6	1	7	0.1	0.0	0.1	0.9	0.1	0.5	1.4	0.3	0.8	1.6	0.5	1.1	0.1	0.0	0.1
その他および部位不明の呼吸器および胸腺内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 癌の骨および関節軟骨	C40	0	1	1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	6	3	9	0.1	0.1	0.1	0.9	0.4	0.7	0.4	0.3	0.3	0.3	0.4	0.3	0.1	0.0	0.0
皮膚の悪性黒色腫	C43	8	11	19	0.1	0.2	0.2	1.2	1.5	1.4	0.6	0.7	0.6	0.4	0.5	0.4	0.0	0.1	0.0
皮膚のその他	C44	113	121	234	1.8	2.7	2.2	17.6	16.7	17.1	7.7	6.3	6.9	5.4	4.5	4.8	0.6	0.5	0.5
中皮腫	C45	17	7	24	0.3	0.2	0.2	2.6	1.0	1.8	1.3	0.5	0.9	0.9	0.4	0.6	0.1	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	6	20	26	0.1	0.5	0.2	0.9	2.8	1.9	1.9	1.2	0.4	1.5	0.9	0.1	0.2	0.1	
その他の結合組織および軟部組織	C49	21	6	27	0.3	0.1	0.2	3.3	0.8	2.0	2.0	0.6	1.2	1.7	0.5	1.0	0.2	0.0	0.1
乳房	C50	10	881	891	0.2	19.9	8.2	1.6	121.7	65.2	0.6	82.3	43.9	0.4	63.1	33.5	0.0	7.1	3.7
外陰	C51	-	16	-	-	0.4	-	-	2.2	-	-	0.5	-	-	0.3	-	-	0.0	-
陰	C52	-	1	-	-	0.0	-	-	0.1	-	-	0.0	-	-	0.0	-	-	0.0	-
子宮頸部	C53	-	113	-	-	2.5	-	-	15.6	-	-	11.2	-	-	8.6	-	-	0.9	-
子宮体部	C54	-	195	-	-	4.4	-	-	26.9	-	-	20.1	-	-	15.7	-	-	1.7	-
子宮部位不明	C55	-	7	-	-	0.2	-	-	1.0	-	-	0.4	-	-	0.2	-	-	0.0	-
卵巣	C56	-	116	-	-	2.6	-	-	16.0	-	-	11.9	-	-	9.7	-	-	1.0	-
その他および部位不明の女性生殖器	C57	-	5	-	-	0.1	-	-	0.7	-	-	0.4	-	-	0.4	-	-	0.0	-
胎盤	C58	-	0	-	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	7	-	-	-	0.1	-	-	1.1	-	-	0.4	-	-	0.2	-	-	0.0	-
前立腺	C61	1,093	-	-	-	17.0	-	-	169.8	-	-	74.9	-	-	51.4	-	-	7.1	-
精巣	C62	16	-	-	-	0.2	-	-	2.5	-	-	2.8	-	-	2.3	-	-	0.2	-
その他および部位不明の男性生殖器	C63	4	-	-	-	0.1	-	-	0.6	-	-	0.3	-	-	0.2	-	-	0.0	-
腎盂を除く腎	C64	157	69	226	2.4	1.6	2.1	24.4	9.5	16.5	13.7	4.7	8.9	9.9	3.5	6.5	1.2	0.4	0.8
腎盂	C65	46	14	60	0.7	0.3	0.6	7.1	1.9	4.4	3.1	0.6	1.8	2.0	0.4	1.1	0.2	0.0	0.1
尿管	C66	22	16	38	0.3	0.4	0.3	3.4	2.2	2.8	1.4	0.8	1.1	0.8	0.6	0.7	0.1	0.1	0.1
膀胱	C67	222	59	281	3.5	1.3	2.6	34.5	8.2	20.5	14.8	2.9	8.1	10.1	2.0	5.6	1.1	0.2	0.6
その他および部位不明の泌尿器	C68	0	1	1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
眼および付属器	C69	0	1	1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
聴膜	C70	4	1	5	0.1	0.0	0.0	0.6	0.1	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
脳	C71	39	30	69	0.6	0.7	0.6	6.1	4.1	5.0	4.9	2.7	3.7	4.6	2.3	3.4	0.4	0.2	0.3
脊髄、脳神経および中枢神経系のその他の部位	C72	2																	

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

奈良県

2015年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)						累積罹患率(0-74歳) (人口100対)		
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
上皮内がん																			
全部位	D00-D09	534	610	1,144	8.3	13.8	10.5	83.0	84.3	83.7	41.7	68.8	55.2	29.9	54.9	42.5	3.6	5.3	4.4
口腔、食道および胃	D00	29	17	46	0.5	0.4	0.4	4.5	2.3	3.4	2.1	1.0	1.5	1.5	0.7	1.1	0.2	0.1	0.1
食道	D001	17	5	22	0.3	0.1	0.2	2.6	0.7	1.6	1.2	0.2	0.7	0.8	0.2	0.5	0.1	0.0	0.1
その他および部位不明の消化器	D01	288	178	466	4.5	4.0	4.3	44.7	24.6	34.1	24.3	13.8	18.6	17.5	10.4	13.6	2.2	1.3	1.7
結腸	D010	207	132	339	3.2	3.0	3.1	32.2	18.2	24.8	17.4	10.1	13.5	12.5	7.5	9.8	1.6	0.9	1.2
直腸S状結腸移行部	D011	12	8	20	0.2	0.2	0.2	1.9	1.1	1.5	0.8	0.7	0.7	0.6	0.5	0.5	0.1	0.1	0.1
直腸	D012	57	26	83	0.9	0.6	0.8	8.9	3.6	6.1	5.2	2.1	3.5	3.8	1.7	2.7	0.5	0.2	0.3
中耳および呼吸器系	D02	5	1	6	0.1	0.0	0.1	0.8	0.1	0.4	0.3	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	1	1	2	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
上皮内黒色腫	D03	3	2	5	0.0	0.0	0.0	0.5	0.3	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0
皮膚のその他	D04	23	31	54	0.4	0.7	0.5	3.6	4.3	3.9	1.5	1.4	1.4	0.9	0.9	0.9	0.1	0.1	0.1
乳房	D05	0	99	99	0.0	2.2	0.9	0.0	13.7	7.2	0.0	10.4	5.5	0.0	8.1	4.3	0.0	0.9	0.5
子宮頸部	D06	-	238	238	-	5.4	2.2	-	32.9	17.4	-	39.3	20.4	-	32.7	17.0	-	2.7	1.4
その他および部位不明の性器	D07	6	7	13	0.1	0.2	0.1	0.9	1.0	1.0	0.3	0.7	0.5	0.2	0.6	0.4	0.0	0.1	0.0
その他および部位不明	D09	180	37	217	2.8	0.8	2.0	28.0	5.1	15.9	13.0	2.0	7.0	9.3	1.3	5.0	1.1	0.1	0.6
膀胱	D090	170	33	203	2.6	0.7	1.9	26.4	4.6	14.8	12.3	1.8	6.6	8.9	1.2	4.7	1.0	0.1	0.5
悪性腫瘍																			
髄膜	D32	31	67	98	0.5	1.5	0.9	4.8	9.3	7.2	2.4	5.0	3.7	1.7	3.7	2.8	0.2	0.5	0.3
脳および中枢神経系	D33	18	18	36	0.3	0.4	0.3	2.8	2.5	2.6	2.8	2.0	2.4	2.6	1.6	2.1	0.2	0.2	0.2
下垂体、視交叉、視神経、松果体	D352-D354	28	33	61	0.4	0.7	0.6	4.3	4.6	4.5	2.6	4.8	3.7	1.9	4.5	3.2	0.2	0.4	0.3
性状不詳または不明の腫瘍																			
膵臓	D42	1	2	3	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.3	0.2	0.0	0.2	0.1	0.0	0.0	0.0
脳および中枢神経系	D43	3	6	9	0.0	0.1	0.1	0.5	0.8	0.7	0.4	0.6	0.6	0.4	0.5	0.5	0.0	0.1	0.0
下垂体、視交叉、視神経、松果体	D443-D445	3	1	4	0.0	0.0	0.0	0.5	0.1	0.3	0.5	0.2	0.4	0.6	0.4	0.5	0.0	0.0	0.0
真正赤血球増多症	D45	4	7	11	0.1	0.2	0.1	0.6	1.0	0.8	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
骨髄異形成症候群	D46	77	35	112	1.2	0.8	1.0	12.0	4.8	8.2	5.8	2.0	3.7	3.9	1.5	2.6	0.4	0.2	0.3
慢性骨増殖性疾患他	D47	17	12	29	0.3	0.3	0.3	2.6	1.7	2.1	1.5	0.7	1.1	1.3	0.5	0.9	0.1	0.0	0.1

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

奈良県

2014年

部位	ICD-10	死亡数			死亡割合 (%)			粗死亡率 (人口10万対)			年齢調整死亡率 (人口10万対)						累積死亡率 (0-74歳) (人口100対)		
		男	女	総数	男	女	総数	男	女	総数	日本人人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
全部位	C00-C97	2,425	1,652	4,077	100.0	100.0	100.0	376.9	229.0	298.7	166.4	85.7	120.4	113.9	60.0	83.2	11.7	6.2	8.8
口唇	C00	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	9	3	12	0.4	0.2	0.3	1.4	0.4	0.9	0.6	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
歯肉	C03	6	4	10	0.2	0.2	0.2	0.9	0.6	0.7	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
口腔底	C04	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口蓋	C05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	2	1	3	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
耳下腺	C07	3	5	8	0.1	0.3	0.2	0.5	0.7	0.6	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	1	2	3	0.0	0.1	0.1	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0
扁桃	C09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	8	0	8	0.3	0.0	0.2	1.2	0.0	0.6	0.5	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
鼻<上>咽頭	C11	3	3	6	0.1	0.2	0.1	0.5	0.4	0.4	0.3	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	7	1	8	0.3	0.1	0.2	1.1	0.1	0.6	0.5	0.1	0.3	0.4	0.0	0.2	0.1	0.0	0.0
その他および部位不明の口唇、口腔および咽頭	C14	5	0	5	0.2	0.0	0.1	0.8	0.0	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
食道	C15	106	17	123	4.4	1.0	3.0	16.5	2.4	9.0	7.9	0.8	4.0	5.6	0.6	2.9	0.7	0.1	0.4
胃	C16	398	224	622	16.4	13.6	15.3	61.9	31.0	45.6	26.7	10.5	17.6	17.8	7.2	11.9	1.9	0.7	1.3
小腸	C17	7	3	10	0.3	0.2	0.2	1.1	0.4	0.7	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
結腸	C18	147	156	303	6.1	9.4	7.4	22.8	21.6	22.2	11.3	7.1	9.0	8.3	4.9	6.4	0.9	0.5	0.7
直腸S状結腸移行部	C19	2	0	2	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
直腸	C20	102	61	163	4.2	3.7	4.0	15.9	8.5	11.9	7.7	3.4	5.3	5.4	2.3	3.7	0.6	0.3	0.4
肛門および肛門管	C21	5	3	8	0.2	0.2	0.2	0.8	0.4	0.6	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
肝および肝内胆管	C22	242	118	360	10.0	7.1	8.8	37.6	16.4	26.4	16.3	5.0	10.0	10.6	3.2	6.5	1.0	0.3	0.6
胆のう	C23	27	47	74	1.1	2.8	1.8	4.2	6.5	5.4	1.7	2.1	1.9	1.2	1.3	1.2	0.1	0.1	0.1
その他および部位不明の胆道	C24	48	50	98	2.0	3.0	2.4	7.5	6.9	7.2	3.1	2.2	2.6	2.0	1.4	1.6	0.2	0.1	0.1
膵臓	C25	176	169	345	7.3	10.2	8.5	27.4	23.4	25.3	12.1	7.8	9.7	8.2	5.2	6.6	0.9	0.6	0.7
その他および部位不明の消化器	C26	5	3	8	0.2	0.2	0.2	0.8	0.4	0.6	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	1	1	2	0.0	0.1	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
副鼻腔	C31	2	1	3	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
喉頭	C32	7	2	9	0.3	0.1	0.2	1.1	0.3	0.7	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	638	256	894	26.3	15.5	21.9	99.2	35.5	65.5	42.4	12.4	25.4	28.6	8.5	17.2	3.0	0.9	1.9
胸腺	C37	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
心臓、縦隔および胸腺	C38	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器および胸腺内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.7	0.0	0.3	0.8	0.0	0.4	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.5	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	4	6	10	0.2	0.4	0.2	0.6	0.8	0.7	0.3	0.3	0.2	0.3	0.2	0.0	0.0	0.0	0.0
皮膚のその他	C44	7	3	10	0.3	0.2	0.2	1.1	0.4	0.7	0.5	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
中皮腫	C45	10	6	16	0.4	0.4	0.4	1.6	0.8	1.2	0.8	0.3	0.5	0.5	0.2	0.4	0.1	0.0	0.1
カポシ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	2	1	3	0.1	0.1	0.1	0.3	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
後腹膜および腹膜	C48	0	7	7	0.0	0.4	0.2	0.0	1.0	0.5	0.0	0.4	0.2	0.0	0.2	0.1	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	7	8	15	0.3	0.5	0.4	1.1	1.1	1.1	0.6	0.8	0.7	0.4	0.7	0.5	0.1	0.1	0.1
乳房	C50	0	146	146	0.0	8.8	3.6	0.0	20.2	10.7	0.0	11.4	6.1	0.0	8.5	4.6	0.0	1.0	0.5
外陰	C51	0	2	2	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
陰茎	C52	0	4	4	0.0	0.2	0.1	0.0	0.6	0.3	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
子宮頸部	C53	0	32	32	0.0	1.9	0.8	0.0	4.4	2.3	0.0	2.4	1.3	0.0	1.7	0.9	0.0	0.2	0.1
子宮体部	C54	0	23	23	0.0	1.4	0.6	0.0	3.2	1.7	0.0	1.4	0.8	0.0	1.0	0.5	0.0	0.1	0.1
子宮部位不明	C55	0	15	15	0.0	0.9	0.4	0.0	2.1	1.1	0.0	0.9	0.5	0.0	0.6	0.3	0.0	0.0	0.0
卵巣	C56	0	47	47	0.0	2.8	1.2	0.0	6.5	3.4	0.0	3.0	1.6	0.0	2.1	1.1	0.0	0.2	0.1
その他および部位不明の女性性器	C57	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
陰茎	C58	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰茎	C59	2	0	2	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
前立腺	C61	97	0	97	4.0	0.0	2.4	15.1	0.0	7.1	5.5	0.0	2.2	3.4	0.0	1.4	0.2	0.0	0.1
精巣	C62	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の男性性器	C63	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
腎臓を除く腎	C64	30	12	42	1.2	0.7	1.0	4.7	1.7	3.1	2.1	0.9	1.4	1.5	0.6	1.0	0.2	0.1	0.1
腎盂	C65	8	10	18	0.3	0.6	0.4	1.2	1.4	1.3	0.6	0.4	0.5	0.4	0.2	0.3	0.0	0.0	0.0
尿管	C66	16	5	21	0.7	0.3	0.5	2.5	0.7	1.5	0.9	0.2	0.5	0.6	0.1	0.3	0.0	0.0	0.0
膀胱	C67	46	22	68	1.9	1.3	1.7	7.1	3.0	5.0	3.0	0.7	1.6	2.1	0.4	1.1	0.2	0.0	0.1
その他および部位不明の泌尿器	C68	1	1	2	0.0	0.1	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
眼および付属器	C69	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
聴膜	C70	1	1	2	0.0	0.1	0.0	0.2	0.1	0.1	0.0	0.1	0.0						

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

奈良県

2014年

部位	ICD-10	死亡数		死亡割合(%)			粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)						累積死亡率(0-74歳) (人口100対)		
		男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数		
								男	女	総数	男	女	総数					
良性腫瘍																		
髄膜	D32	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳または不明の腫瘍																		
髄膜	D42	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	16	14	30	0.7	0.8	0.7	2.5	1.9	2.2	1.4	0.9	1.1	1.2	0.7	1.0	0.1	0.1
内分泌腺	D44	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	27	13	40	1.1	0.8	1.0	4.2	1.8	2.9	1.7	0.4	0.9	1.1	0.2	0.6	0.1	0.0
リンパ組織、造血組織および関連組織	D47	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

奈良県

2015年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)			累積死亡率(0-74歳) (人口100対)					
		男	女	総数	男	女	総数	男	女	総数	日本人口		世界人口		男	女	総数		
											男	女	男	女					
全部位	C00-C97	2,430	1,619	4,049	100.0	100.0	100.0	380.0	225.3	298.2	161.4	81.8	115.9	109.7	56.9	79.6	11.2	5.7	8.2
口唇	C00	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	15	5	20	0.6	0.3	0.5	2.3	0.7	1.5	1.0	0.3	0.6	0.7	0.2	0.4	0.1	0.0	0.1
歯肉	C03	7	7	14	0.3	0.4	0.3	1.1	1.0	1.0	0.5	0.2	0.3	0.4	0.1	0.2	0.0	0.0	0.0
口腔底	C04	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口蓋	C05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
耳下腺	C07	2	3	5	0.1	0.2	0.1	0.3	0.4	0.4	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
扁桃	C09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	7	0	7	0.3	0.0	0.2	1.1	0.0	0.5	0.5	0.0	0.2	0.4	0.0	0.2	0.1	0.0	0.0
鼻くよ>咽頭	C11	2	1	3	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
梨状陥凹<洞>	C12	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	13	2	15	0.5	0.1	0.4	2.0	0.3	1.1	1.1	0.1	0.6	0.8	0.1	0.4	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	3	1	4	0.1	0.1	0.1	0.5	0.1	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
食道	C15	105	18	123	4.3	1.1	3.0	16.4	2.5	9.1	7.3	0.9	3.8	5.0	0.7	2.6	0.6	0.1	0.3
胃	C16	374	173	547	15.4	10.7	13.5	58.5	24.1	40.3	24.0	7.8	14.8	16.0	5.6	10.1	1.6	0.6	1.1
小腸	C17	8	3	11	0.3	0.2	0.3	1.3	0.4	0.8	0.6	0.2	0.4	0.4	0.2	0.3	0.1	0.0	0.0
結腸	C18	181	183	364	7.4	11.3	9.0	28.3	25.5	26.8	11.6	7.7	9.4	8.0	5.1	6.4	0.8	0.5	0.6
直腸S状結腸移行部	C19	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
直腸	C20	82	46	128	3.4	2.8	3.2	12.8	6.4	9.4	5.8	2.3	3.9	4.0	1.6	2.7	0.5	0.2	0.3
肛門および肛門管	C21	1	2	3	0.0	0.1	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	220	117	337	9.1	7.2	8.3	34.4	16.3	24.8	14.5	4.7	9.0	9.5	3.0	5.8	0.9	0.2	0.5
胆のう	C23	28	39	67	1.2	2.4	1.7	4.4	5.4	4.9	1.8	1.5	1.7	1.1	1.0	1.0	0.1	0.1	0.1
その他および部位不明の胆道	C24	55	47	102	2.3	2.9	2.5	8.6	6.5	7.5	3.3	1.8	2.4	2.3	1.2	1.6	0.2	0.1	0.2
膵臓	C25	170	186	356	7.0	11.5	8.8	26.6	25.9	26.2	12.0	7.8	9.8	8.3	5.1	6.6	0.9	0.5	0.7
その他および部位不明の消化器	C26	10	2	12	0.4	0.1	0.3	1.6	0.3	0.9	0.6	0.0	0.3	0.4	0.0	0.2	0.0	0.0	0.0
鼻腔および中耳	C30	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
副鼻腔	C31	4	5	9	0.2	0.3	0.2	0.6	0.7	0.7	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
喉頭	C32	12	1	13	0.5	0.1	0.3	1.9	0.1	1.0	0.8	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	609	254	863	25.1	15.7	21.3	95.2	35.4	63.6	40.1	12.9	24.7	27.1	8.7	16.7	2.8	1.0	1.8
肺臓	C37	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
心臓、縦隔および胸壁	C38	2	1	3	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
その他および部位不明の呼吸器および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 尿および泌尿器	C40	1	2	3	0.0	0.1	0.1	0.2	0.3	0.2	0.2	0.4	0.3	0.3	0.4	0.3	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	5	0	5	0.2	0.0	0.1	0.8	0.0	0.4	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
皮膚のその他	C44	5	3	8	0.2	0.2	0.2	0.8	0.4	0.6	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
中皮腫	C45	10	10	20	0.4	0.6	0.5	1.6	1.4	1.5	0.6	0.6	0.6	0.3	0.5	0.4	0.0	0.1	0.0
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および膵臓	C48	2	7	9	0.1	0.4	0.2	0.3	1.0	0.7	0.1	0.7	0.4	0.1	0.5	0.3	0.0	0.1	0.0
その他の結合組織および軟部組織	C49	10	3	13	0.4	0.2	0.3	1.6	0.4	1.0	0.9	0.3	0.6	0.7	0.3	0.4	0.1	0.0	0.1
乳房	C50	0	137	137	0.0	8.5	3.4	0.0	19.1	10.1	0.0	11.6	6.2	0.0	8.9	4.7	0.0	1.0	0.5
外陰	C51	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰	C52	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	C53	0	28	28	0.0	1.7	0.7	0.0	3.9	2.1	0.0	1.9	1.0	0.0	1.3	0.7	0.0	0.1	0.1
子宮体部	C54	0	24	24	0.0	1.5	0.6	0.0	3.3	1.8	0.0	1.7	0.9	0.0	1.2	0.7	0.0	0.2	0.1
子宮部位不明	C55	0	11	11	0.0	0.7	0.3	0.0	1.5	0.8	0.0	0.6	0.3	0.0	0.4	0.2	0.0	0.0	0.0
卵巣	C56	0	43	43	0.0	2.7	1.1	0.0	6.0	3.2	0.0	3.0	1.6	0.0	2.3	1.3	0.0	0.3	0.1
その他および部位不明の女性性器	C57	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
胎盤	C58	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰茎	C60	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
前立腺	C61	122	0	122	5.0	0.0	3.0	19.1	0.0	9.0	6.6	0.0	2.7	4.0	0.0	1.6	0.3	0.0	0.1
精巣	C62	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の男性性器	C63	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
腎盂を除く腎	C64	24	20	44	1.0	1.2	1.1	3.8	2.8	3.2	1.7	1.0	1.3	1.2	0.7	0.9	0.1	0.1	0.1
腎盂	C65	13	8	21	0.5	0.5	0.5	2.0	1.1	1.5	0.9	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
尿管	C66	18	10	28	0.7	0.6	0.7	2.8	1.4	2.1	1.2	0.3	0.7	0.7	0.2	0.4	0.1	0.0	0.0
膀胱	C67	59	18	77	2.4	1.1	1.9	9.2	2.5	5.7	3.2	0.6	1.6	2.0	0.4	1.1	0.2	0.0	0.1
その他および部位不明の泌尿器	C68	3	1	4	0.1	0.1	0.1	0.5	0.1	0.3	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
眼および付属器	C69	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
聴覚	C70	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.1					

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

奈良県

2015年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)						累積死亡率(0-74歳) (人口100対)		
		男		女	男		女	男		女	日本人口		世界人口		男		女	総数	
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
良性腫瘍																			
髄膜	D32	1	1	2	0.0	0.1	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳または不明の腫瘍																			
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	8	7	15	0.3	0.4	0.4	1.3	1.0	1.1	0.4	0.6	0.5	0.2	0.6	0.4	0.0	0.0	0.0
内分泌腺	D44	0	1	1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	30	21	51	1.2	1.3	1.3	4.7	2.9	3.8	1.9	0.7	1.2	1.3	0.5	0.8	0.1	0.0	0.1
リンパ組織、造血組織および関連組織	D47	1	1	2	0.0	0.1	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

付表3. 受療割合詳細 (%) : 部位別

A. 上皮内がんを除く

奈良県

2014年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物療法のみ	放射線 +薬物	薬物 +その他	手術/内視鏡 +放射線	手術/内視鏡 +薬物	手術/内視鏡 +その他	手術/内視鏡 +放射線 +その他	他の組合せ	治療なし
全部位	C00-C96	10,261	26.8	7.8	0.8	3.0	12.1	3.2	1.0	0.8	13.7	0.4	3.0	1.4	30.4
口腔・咽頭	C00-C14	215	34.4	1.4	0.0	3.3	6.0	14.0	0.0	6.0	3.3	0.0	8.8	14.9	24.7
食道	C15	265	12.8	15.1	0.0	10.6	1.9	18.1	0.0	0.8	9.4	0.0	5.3	12.1	29.1
胃	C16	1,621	28.1	30.7	1.7	0.1	6.0	0.2	0.0	0.0	12.5	0.6	0.0	2.0	24.2
大腸（結腸・直腸）	C18-C20	1,370	44.5	6.4	1.5	0.0	2.7	0.2	0.0	0.1	21.4	0.4	0.5	2.8	25.5
結腸	C18	911	47.7	4.9	1.9	0.0	2.3	0.1	0.0	0.1	20.1	0.4	0.0	4.2	25.6
直腸	C19-C20	459	38.1	9.4	0.9	0.0	3.5	0.4	0.0	0.2	24.0	0.2	1.5	7.2	25.5
肝および肝内胆管	C22	483	17.2	0.4	0.0	1.0	3.5	0.4	19.0	0.0	1.4	1.0	0.0	21.9	49.7
胆のう・胆管	C23-C24	211	23.7	7.6	2.4	0.5	8.5	0.9	0.5	0.0	16.6	0.0	0.5	16.6	43.1
膵臓	C25	408	7.8	3.9	0.5	0.5	27.0	1.5	0.7	0.0	14.7	0.0	6.4	9.1	41.9
喉頭	C32	52	17.3	5.8	0.0	34.6	0.0	19.2	0.0	5.8	0.0	0.0	3.8	61.5	13.5
肺	C33-C34	1,350	22.9	0.1	0.0	8.0	13.6	7.9	0.0	0.6	7.6	0.1	1.3	3.1	44.1
皮膚	C43-C44	233	77.7	0.4	0.4	2.1	0.4	0.0	0.0	1.3	2.1	0.0	0.0	14.6	15.5
乳房	C50	920	11.1	0.0	0.0	0.2	6.3	0.5	0.1	2.7	41.0	0.5	20.7	3.5	18.2
乳房（女性のみ）	C50	910	10.9	0.0	0.0	0.2	6.4	0.5	0.1	2.7	40.8	0.5	20.9	3.5	18.2
子宮	C53-C55	289	34.3	0.0	0.7	3.8	3.1	5.5	0.0	1.4	32.9	0.0	0.7	11.1	20.1
子宮頸部	C53	124	24.2	0.0	0.8	8.9	4.0	12.1	0.0	3.2	26.6	0.0	1.6	25.8	19.4
子宮体部	C54	160	42.5	0.0	0.6	0.0	2.5	0.6	0.0	0.0	38.8	0.0	0.0	20.0	16.3
卵巣	C56	113	23.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	53.1	0.0	0.9	28.3	18.6
前立腺	C61	1,039	24.0	0.7	0.1	8.6	32.8	5.3	0.5	0.2	1.6	0.3	0.1	3.4	27.6
膀胱	C67	289	13.1	39.1	7.6	1.0	2.4	0.7	0.0	2.1	11.8	4.2	0.7	11.8	17.3
腎・尿路（膀胱除く）	C64-C66 C68	323	62.5	0.9	0.0	0.3	5.6	0.3	0.3	0.0	8.7	0.0	0.0	10.5	24.1
脳・中枢神経系	C70-C72	59	13.6	0.0	0.0	1.7	0.0	6.8	0.0	1.7	5.1	0.0	27.1	54.2	47.5
甲状腺	C73	165	69.7	0.0	0.0	0.6	0.0	0.0	0.0	3.6	6.7	0.0	0.0	19.4	20.0
悪性リンパ腫	C81-C85 C96	333	3.3	0.0	0.0	4.2	55.0	3.3	0.0	0.6	2.7	0.0	1.8	10.5	33.0
多発性骨髄腫	C88-C90	79	0.0	0.0	0.0	0.0	46.8	6.3	0.0	1.3	0.0	0.0	0.0	40.5	58.2
白血病	C91-C95	144	0.0	0.0	0.0	0.0	50.0	0.7	0.7	0.0	0.0	0.0	0.0	22.2	54.2

*1 DC0を除く総数

付表3. 受療割合詳細 (%) : 部位別

A. 上皮内がんを除く

奈良県

2015年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物療法のみ	放射線 +薬物	薬物 +その他	手術/内視鏡 +放射線	手術/内視鏡 +薬物	手術/内視鏡 +その他	手術/内視鏡 +放射線 +その他	他の組合せ	治療なし
全部位	C00-C96	10,437	28.0	8.8	0.7	3.0	12.0	3.4	1.0	1.0	13.9	0.7	3.5	1.2	26.9
口腔・咽頭	C00-C14	246	32.9	2.0	0.0	5.7	2.0	15.0	0.0	7.3	4.5	0.0	3.3	9.8	28.0
食道	C15	238	6.7	18.5	0.0	9.7	6.3	18.5	0.0	0.4	15.5	0.0	4.2	10.1	23.1
胃	C16	1,663	26.6	34.2	1.6	0.1	6.3	0.2	0.0	0.0	12.4	0.2	0.1	1.7	21.8
大腸（結腸・直腸）	C18-C20	1,480	45.5	10.0	1.6	0.1	2.7	0.1	0.0	0.1	21.7	0.3	0.7	1.8	19.9
結腸	C18	989	48.3	9.2	1.6	0.0	2.1	0.0	0.0	0.1	21.3	0.4	0.2	2.6	20.0
直腸	C19-C20	491	39.7	11.6	1.4	0.2	3.9	0.4	0.0	0.0	22.4	0.2	1.6	4.9	19.6
肝および肝内胆管	C22	467	18.2	0.0	0.0	0.6	3.2	1.1	20.1	0.0	1.3	0.9	0.0	21.2	44.8
胆のう・胆管	C23-C24	207	26.6	10.6	0.0	0.5	11.1	0.0	1.0	0.0	15.5	0.5	0.5	13.5	42.0
膵臓	C25	424	6.8	4.0	0.0	0.5	28.1	2.6	0.0	0.2	14.4	0.2	7.8	7.1	39.9
喉頭	C32	64	10.9	0.0	0.0	39.1	0.0	12.5	0.0	17.2	0.0	0.0	1.6	37.5	23.4
肺	C33-C34	1,278	28.1	0.1	0.0	7.5	14.4	7.7	0.2	0.5	8.6	0.2	1.5	2.3	38.0
皮膚	C43-C44	252	73.8	0.0	0.0	1.6	0.4	0.0	0.0	2.4	1.6	2.4	0.4	10.3	17.1
乳房	C50	876	10.5	0.0	0.0	0.2	5.5	0.5	0.0	1.9	40.0	0.2	25.1	2.7	17.2
乳房（女性のみ）	C50	866	10.3	0.0	0.0	0.2	5.2	0.5	0.0	2.0	40.1	0.2	25.3	2.8	17.4
子宮	C53-C55	309	36.9	1.3	0.3	5.8	2.6	4.5	0.0	1.3	28.2	0.6	2.6	7.8	17.8
子宮頸部	C53	110	24.5	3.6	0.0	14.5	5.5	12.7	0.0	2.7	11.8	0.0	3.6	21.8	23.6
子宮体部	C54	194	44.8	0.0	0.5	1.0	1.0	0.0	0.0	0.0	38.1	1.0	2.1	12.4	11.9
卵巣	C56	111	18.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	58.6	0.9	0.0	21.6	22.5
前立腺	C61	1,079	27.2	0.5	0.1	7.9	30.2	7.0	0.3	0.4	3.1	0.2	0.1	2.3	24.5
膀胱	C67	270	17.0	35.6	6.7	1.1	2.2	0.0	0.0	1.1	10.0	14.4	1.5	8.9	14.4
腎・尿路（膀胱除く）	C64-C66 C68	315	65.1	0.0	0.0	1.6	3.5	0.3	0.3	0.3	10.2	0.0	0.0	7.6	21.9
脳・中枢神経系	C70-C72	69	20.3	1.4	0.0	5.8	0.0	1.4	0.0	7.2	2.9	0.0	30.4	34.8	42.0
甲状腺	C73	178	61.2	0.0	0.0	0.6	0.0	0.0	0.0	7.3	3.9	0.0	3.9	13.5	26.4
悪性リンパ腫	C81-C85 C96	381	4.7	0.0	0.0	3.7	46.7	7.1	0.0	0.8	5.2	0.0	1.0	6.3	32.8
多発性骨髄腫	C88-C90	77	0.0	1.3	0.0	1.3	50.6	3.9	0.0	0.0	1.3	0.0	0.0	31.2	48.1
白血病	C91-C95	137	0.7	0.0	0.0	0.0	69.3	2.2	0.0	0.0	0.0	0.0	0.0	17.5	31.4

*1 DC0を除く総数

付表3. 受療割合詳細 (%) : 部位別

B. 上皮内がんを含む

奈良県

2014年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物療法のみ	放射線 +薬物	薬物 +その他	手術/内視鏡 +放射線	手術/内視鏡 +薬物	手術/内視鏡 +その他	手術/内視鏡 +放射線 +その他	他の組合せ	治療なし
全部位	C00-C96 D00-D09	11,211	27.4	11.4	0.8	2.8	11.1	2.9	0.9	0.8	12.8	0.5	2.9	1.3	28.5
食道	C15 D001	286	11.9	19.6	0.0	9.8	1.7	16.8	0.0	0.7	8.7	0.0	5.2	11.2	28.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,777	36.3	24.4	1.5	0.0	2.1	0.2	0.0	0.1	16.5	0.5	0.4	2.2	20.7
結腸 *2	C18 D010	1,223	37.7	25.6	1.6	0.0	1.7	0.1	0.0	0.1	15.0	0.6	0.0	3.1	20.0
直腸 *2	C19-C20 D011-D012	554	33.2	21.8	1.3	0.0	2.9	0.4	0.0	0.2	19.9	0.2	1.3	6.0	22.0
肺	C33-C34 D021-D022	1,351	22.9	0.1	0.0	8.0	13.6	7.9	0.0	0.6	7.5	0.1	1.3	3.1	44.1
皮膚	C43-C44 D030-D049	303	81.8	0.3	0.3	1.7	0.3	0.0	0.0	1.0	1.7	0.0	0.0	11.2	12.9
乳房	C50 D05	999	13.3	0.0	0.0	0.2	5.9	0.5	0.1	3.2	40.1	0.5	19.7	3.2	17.6
乳房（女性のみ）	C50 D05	988	13.1	0.0	0.0	0.2	6.0	0.5	0.1	3.2	40.0	0.5	19.9	3.2	17.7
子宮	C53-C55 D06	461	51.2	2.0	0.4	2.4	2.0	3.5	0.0	0.9	20.6	0.2	0.4	6.9	18.0
子宮頸部	C53 D06	296	56.4	3.0	0.3	3.7	1.7	5.1	0.0	1.4	11.1	0.3	0.7	10.8	16.6
膀胱	C67 D090	455	13.6	47.7	5.3	0.7	2.0	0.4	0.0	1.3	9.5	5.5	0.4	7.9	13.0

*1 DCOを除く総数

*2 粘膜がんを含む

付表3. 受療割合詳細 (%) : 部位別

B. 上皮内がんを含む

奈良県

2015年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物療法のみ	放射線 +薬物	薬物 +その他	手術/内視鏡 +放射線	手術/内視鏡 +薬物	手術/内視鏡 +その他	手術/内視鏡 +放射線 +その他	他の組合せ	治療なし
全部位	C00-C96 D00-D09	11,581	28.8	12.9	0.7	2.8	10.9	3.0	0.9	1.0	12.8	0.9	3.3	1.1	24.6
食道	C15 D001	260	6.2	23.5	0.0	9.6	5.8	16.9	0.0	0.4	14.2	0.0	3.8	10.0	21.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,922	37.3	27.5	1.5	0.1	2.1	0.1	0.0	0.1	16.7	0.5	0.5	1.4	15.7
結腸 *2	C18 D010	1,328	39.0	28.2	1.6	0.0	1.6	0.0	0.0	0.1	15.9	0.6	0.2	2.0	15.4
直腸 *2	C19-C20 D011-D012	594	33.5	25.9	1.2	0.2	3.2	0.3	0.0	0.0	18.5	0.2	1.3	4.0	16.5
肺	C33-C34 D021-D022	1,280	28.1	0.1	0.0	7.5	14.4	7.7	0.2	0.5	8.6	0.2	1.5	2.3	38.0
皮膚	C43-C44 D030-D049	311	76.5	0.0	0.0	1.3	0.3	0.0	0.0	1.9	1.3	2.3	0.3	9.0	15.1
乳房	C50 D05	975	14.4	0.0	0.0	0.3	4.9	0.4	0.0	2.9	37.7	0.2	24.2	2.5	15.9
乳房（女性のみ）	C50 D05	965	14.2	0.0	0.0	0.3	4.7	0.4	0.0	2.9	37.8	0.2	24.4	2.5	16.1
子宮	C53-C55 D06	547	55.0	6.8	0.2	3.3	1.5	2.6	0.0	0.9	15.9	0.5	1.5	4.4	13.0
子宮頸部	C53 D06	348	61.5	10.6	0.0	4.6	1.7	4.0	0.0	1.1	3.7	0.3	1.1	6.9	12.1
膀胱	C67 D090	473	15.6	46.5	4.0	0.6	1.3	0.0	0.0	0.6	8.7	14.0	0.8	5.1	9.5

*1 DC0を除く総数

*2 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

A. 上皮内がんを除く

奈良県

2014年

医療圏/保健所	全部位 C00-C96			胃 C16			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
奈良県	6,291	4,433	10,725	1,140	551	1,691	806	620	1,426	503	445	948	303	175	478	368	170	538	980	464	1,445	10	928	938	296	125	162	1,062
医療圏不定	8	2	10	2	0	2	0	1	1	0	0	0	0	1	1	0	0	0	5	1	6	0	0	0	0	0	0	0
奈良	1,652	1,220	2,872	296	157	453	231	167	398	145	110	255	86	57	143	95	40	135	269	131	400	4	265	269	65	23	39	267
東和	1,035	702	1,737	196	101	297	152	97	249	94	71	165	58	26	84	72	27	99	152	78	230	1	136	137	39	18	20	173
西和	1,533	1,157	2,690	265	130	395	190	178	368	112	143	255	78	35	113	95	53	148	235	105	340	3	262	265	80	36	42	273
中和	1,589	1,070	2,660	295	125	420	176	134	310	118	89	207	58	45	103	83	41	124	254	119	374	2	217	219	84	36	46	253
南和	474	282	756	86	38	124	57	43	100	34	32	66	23	11	34	23	9	32	65	30	95	0	48	48	28	12	15	96
保健所不定	8	2	10	2	0	2	0	1	1	0	0	0	0	1	1	0	0	0	5	1	6	0	0	0	0	0	0	0
奈良市	1,652	1,220	2,872	296	157	453	231	167	398	145	110	255	86	57	143	95	40	135	269	131	400	4	265	269	65	23	39	267
郡山	1,547	1,147	2,694	289	135	424	211	179	390	123	144	267	88	35	123	86	42	128	222	103	325	2	253	255	77	36	38	250
桜井	1,382	923	2,306	258	142	400	185	131	316	122	94	216	63	37	100	81	35	116	211	107	319	1	166	167	59	31	28	253
葛城	1,228	859	2,087	209	79	288	122	99	221	79	65	144	43	34	77	83	44	127	208	92	300	3	196	199	67	23	42	196
内吉野	229	137	366	46	19	65	29	27	56	18	20	38	11	7	18	11	5	16	32	8	40	0	23	23	13	6	7	49
吉野	245	145	390	40	19	59	28	16	44	16	12	28	12	4	16	12	4	16	33	22	55	0	25	25	15	6	8	47

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

A. 上皮内がんを除く

奈良県

2015年

医療圏/保健所	全部位 C00-C96			胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61	
	男	女	総数	男	女	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男	
	奈良県	6,426	4,433	10,861	1,194	530	1,724	810	715	1,525	497	528	1,025	313	187	500	351	152	505	908	464	1,372	10	881	891	315	113	195
医療圏不定	6	1	7	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	1
奈良	1,692	1,233	2,925	276	133	409	228	170	398	152	133	285	76	37	113	99	47	146	228	135	363	2	266	268	82	29	50	276
東和	1,015	678	1,693	207	95	302	135	117	252	79	82	161	56	35	91	63	23	86	155	73	228	1	114	115	43	19	24	161
西和	1,509	1,088	2,599	257	118	375	204	195	399	121	144	265	83	51	134	78	37	117	202	109	311	2	227	229	76	19	54	265
中和	1,683	1,145	2,828	331	138	469	189	177	366	109	132	241	80	45	125	81	38	119	245	119	364	5	237	242	91	35	55	299
南和	521	288	809	122	46	168	54	56	110	36	37	73	18	19	37	30	7	37	75	28	103	0	37	37	23	11	12	91
保健所不定	6	1	7	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	1
奈良市	1,692	1,233	2,925	276	133	409	228	170	398	152	133	285	76	37	113	99	47	146	228	135	363	2	266	268	82	29	50	276
郡山	1,482	1,096	2,580	259	119	378	199	203	402	118	148	266	81	55	136	81	36	119	213	109	322	2	211	213	73	20	51	241
内吉野	221	138	359	56	25	81	27	24	51	17	16	33	10	8	18	14	2	16	26	12	38	0	19	19	13	7	6	30
吉野	300	150	450	66	21	87	27	32	59	19	21	40	8	11	19	16	5	21	49	16	65	0	18	18	10	4	6	61
中和保健所	2,725	1,815	4,540	536	232	768	329	286	615	191	210	401	138	76	214	141	62	203	389	192	581	6	367	373	137	53	82	484

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

B. 上皮内がんを含む

奈良県

2014年

医療圏/保健所	全部位 C00-C96 D00-D09			大腸(結腸・直腸)*1 C18-C20 D010-D012			結腸*1 C18 D010			直腸*1 C19-C20 D011-D012			肺 C33-C34 D021-D022			乳房 C50 D05			子宮 C53-C55 D06		子宮頸部 C53 D06	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女		
奈良県	6,770	4,903	11,674	1,066	766	1,832	704	556	1,260	362	210	572	981	464	1,446	11	1,006	1,017	468	297		
医療圏不定	8	2	10	0	1	1	0	0	0	0	1	1	5	1	6	0	0	0	0	0		
奈良	1,812	1,387	3,199	331	235	566	219	162	381	112	73	185	269	131	400	4	288	292	119	77		
東和	1,100	771	1,871	183	120	303	118	86	204	65	34	99	152	78	230	1	148	149	62	41		
西和	1,640	1,266	2,906	246	204	450	152	161	313	94	43	137	236	105	341	3	287	290	112	68		
中和	1,709	1,179	2,889	238	160	398	172	113	285	66	47	113	254	119	374	3	234	237	137	89		
南和	501	298	799	68	46	114	43	34	77	25	12	37	65	30	95	0	49	49	38	22		
保健所不定	8	2	10	0	1	1	0	0	0	0	1	1	5	1	6	0	0	0	0	0		
奈良市	1,812	1,387	3,199	331	235	566	219	162	381	112	73	185	269	131	400	4	288	292	119	77		
郡山	1,653	1,247	2,900	265	207	472	163	161	324	102	46	148	223	103	326	2	275	277	107	66		
桜井	1,459	1,015	2,475	216	155	371	146	113	259	70	42	112	211	107	319	1	179	180	100	72		
葛城	1,337	954	2,291	186	122	308	133	86	219	53	36	89	208	92	300	4	215	219	104	60		
内吉野	247	147	394	37	29	66	25	21	46	12	8	20	32	8	40	0	23	23	20	13		
吉野	254	151	405	31	17	48	18	13	31	13	4	17	33	22	55	0	26	26	18	9		

*1 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

B. 上皮内がんを含む

奈良県

2015年

医療圏/保健所	全部位 C00-C96 D00-D09			大腸(結腸・直腸)*1 C18-C20 D010-D012			結腸*1 C18 D010			直腸*1 C19-C20 D011-D012			肺 C33-C34 D021-D022			乳房 C50 D05			子宮 C53-C55 D06	子宮頸部 C53 D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
	奈良県	6,960	5,043	12,005	1,086	881	1,967	704	660	1,364	382	221	603	909	465	1,374	10	980	990	553
医療圏不定	6	1	7	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0
奈良	1,845	1,414	3,259	323	226	549	223	177	400	100	49	149	229	135	364	2	297	299	148	95
東和	1,098	770	1,868	172	147	319	110	104	214	62	43	105	155	73	228	1	124	125	81	57
西和	1,646	1,229	2,877	273	231	504	168	170	338	105	61	166	202	110	312	2	262	264	112	55
中和	1,816	1,316	3,132	251	218	469	157	169	326	94	49	143	245	119	364	5	259	264	174	118
南和	549	313	862	67	59	126	46	40	86	21	19	40	75	28	103	0	38	38	38	26
保健所不定	6	1	7	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0
奈良市	1,845	1,414	3,259	323	226	549	223	177	400	100	49	149	229	135	364	2	297	299	148	95
郡山	1,624	1,242	2,868	274	242	516	173	175	348	101	67	168	213	110	323	2	243	245	119	66
内吉野	232	149	381	31	24	55	20	16	36	11	8	19	26	12	38	0	19	19	20	14
吉野	317	164	481	36	35	71	26	24	50	10	11	21	49	16	65	0	19	19	18	12
中和保健所	2,936	2,073	5,009	422	354	776	262	268	530	160	86	246	389	192	581	6	402	408	248	164

*1 粘膜がんを含む

付表5. 市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

奈良県

2014年

市区町村	全部位 C00-C96			胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18		直腸 C19-C20			肝および肝内胆管 C22				肺 C33-C34		乳房 C50		子宮 C53-C55	子宮頸部 C53		子宮体部 C54	前立腺 C61		
	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	男	女	男	女	男	女	男	女	男		
奈良県	6,291	4,433	10,725	1,140	551	1,691	806	620	1,426	503	445	948	303	175	478	368	170	538	980	464	1,445	10	928	938	296	125	162	1,062
奈良県内市区町村不定	8	2	10	2	0	2	0	1	1	0	0	0	0	1	1	0	0	0	5	1	6	0	0	0	0	0	0	0
奈良市	1,652	1,220	2,872	296	157	453	231	167	398	145	110	255	86	57	143	95	40	135	269	131	400	4	265	269	65	23	39	267
大和高田市	283	201	484	58	15	73	25	24	49	17	15	32	8	9	17	22	10	32	44	23	67	0	48	48	14	8	6	34
大和郡山市	400	317	717	67	39	106	60	46	106	31	37	68	29	9	38	23	14	37	83	30	113	0	72	72	20	7	12	41
天理市	272	173	445	62	15	77	44	27	71	25	19	44	19	8	27	12	5	17	36	19	55	0	41	41	7	2	4	34
橿原市	573	366	940	116	52	168	74	51	125	49	35	84	25	16	41	19	14	33	86	46	133	0	61	61	28	16	12	106
桜井市	267	199	466	38	29	67	42	17	59	25	16	41	17	1	18	21	6	27	46	23	69	0	38	38	15	7	8	46
五條市	192	116	308	40	14	54	24	23	47	15	17	32	9	6	15	10	4	14	25	7	32	0	21	21	12	5	7	40
御所市	172	94	266	35	13	48	21	11	32	16	7	23	5	4	9	6	3	9	30	14	44	0	17	17	6	2	4	29
生駒市	473	364	837	82	45	127	58	56	114	33	45	78	25	11	36	28	12	40	55	31	86	2	83	85	28	15	12	87
香芝市	228	156	384	29	13	42	23	14	37	14	9	23	9	5	14	20	6	26	39	14	53	0	39	39	16	4	12	30
葛城市	128	111	239	26	15	41	13	9	22	8	6	14	5	3	8	9	3	12	14	12	26	1	24	25	12	5	5	19
宇陀市	200	137	337	33	26	59	24	22	46	16	16	32	8	6	14	23	7	30	27	18	45	0	17	17	6	1	5	40
山辺郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
山辺郡 山添村	28	18	46	4	3	7	6	2	8	4	1	5	2	1	3	0	1	1	5	1	6	0	2	2	2	1	1	5
生駒郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
生駒郡 平群町	91	81	172	21	11	32	7	12	19	3	11	14	4	1	5	6	3	9	10	8	18	0	18	18	5	4	1	18
生駒郡 三郷町	120	70	190	20	6	26	15	8	23	12	7	19	3	1	4	8	3	11	12	8	20	0	12	12	10	6	4	30
生駒郡 斑鳩町	129	94	223	25	13	38	16	21	37	11	18	29	5	3	8	8	4	12	17	5	22	0	20	20	2	1	1	28
生駒郡 安堵町	34	30	64	8	3	11	5	7	12	4	6	10	1	1	2	1	0	1	4	1	5	0	5	5	3	0	3	7
磯城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
磯城郡 川西町	51	26	77	16	5	21	3	4	7	0	4	4	3	0	3	5	2	7	4	3	7	0	5	5	3	2	1	9
磯城郡 三宅町	41	26	67	8	2	10	6	4	10	4	2	6	2	2	4	3	2	5	9	4	13	0	5	5	1	1	0	4
磯城郡 田原本町	144	108	252	28	18	46	27	19	46	20	13	33	7	6	13	4	4	8	20	8	28	0	26	26	5	4	1	30
宇陀郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
宇陀郡 曾爾村	16	6	22	4	1	5	0	0	0	0	0	0	0	0	0	1	0	1	3	1	4	1	1	2	0	0	0	2
宇陀郡 御杖村	16	9	25	3	2	5	0	2	2	0	0	0	0	0	2	2	3	0	3	2	1	3	0	1	1	0	0	3
高市郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
高市郡 高取町	44	24	68	7	4	11	5	6	11	5	4	9	0	2	2	2	0	2	10	2	12	0	6	6	1	0	1	6
高市郡 明日香村	30	22	52	5	3	8	4	6	10	3	4	7	1	2	3	0	0	0	4	1	5	0	6	6	0	0	0	7
北葛城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
北葛城郡 上牧町	95	73	168	9	5	14	11	7	18	6	6	12	5	1	6	10	5	15	16	9	25	0	18	18	5	2	3	26
北葛城郡 玉寺町	99	83	182	17	3	20	10	13	23	8	8	16	2	5	7	7	7	14	17	7	24	1	27	28	7	1	6	20
北葛城郡 広陵町	131	96	227	19	10	29	11	13	24	6	9	15	5	4	9	5	5	10	27	7	34	1	16	17	7	1	6	22
北葛城郡 河合町	92	45	137	16	5	21	8	8	16	4	5	9	4	3	7	4	5	9	21	6	27	0	7	7	0	0	0	16
吉野郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
吉野郡 吉野町	60	26	86	16	0	16	7	6	13	5	4	9	2	2	4	0	0	0	11	4	15	0	2	2	4	2	1	9
吉野郡 大淀町	104	67	171	13	8	21	12	9	21	7	7	14	5	2	7	8	0	8	13	8	21	0	17	17	5	2	3	21
吉野郡 下市町	29	29	58	6	8	14	2	0	2	0	0	0	2	0	2	1	3	4	4	6	10	0	4	4	3	1	2	8
吉野郡 黒滝村	3	2	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	1	1	0	1	0
吉野郡 天川村	10	3	13	1	0	1	1	1	2	1	1	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
吉野郡 野迫川村	8	4	12	2	2	4	0	0	0	0	0	0	0	0	0	0	1	1	4	0	4	0	0	0	0	0	0	0
吉野郡 十津川村	29	17	46	4	3	7	5	4	9	3	3	6	2	1	3	1	0	1	3	1	4	0	2	2	1	1	0	9
吉野郡 下北山村	3	4	7	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	2

付表5. 市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

奈良県

2014年

市区町村	全部位 C00-C96			胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18		直腸 C19-C20			肝および肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61		
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男			
吉野郡 上北山村	4	3	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1	1	
吉野郡 川上村	14	3	17	0	1	1	2	0	2	1	0	1	1	0	1	0	0	0	3	0	3	0	0	0	0	0	4	
吉野郡 東吉野村	18	8	26	4	1	5	4	0	4	2	0	2	2	0	2	0	0	0	1	3	4	0	0	0	1	1	0	0

付表5. 市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

奈良県

2015年

市区町村	全部位 000-096		胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18		直腸 C19-C20		肝および肝内胆管 C22			肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数		
奈良県	6,426	4,433	10,861	1,194	530	1,724	810	715	1,525	497	528	1,025	313	187	500	351	152	505	908	464	1,372	10	881	891	315	113	195	1,093
奈良県内市区町村不定	6	1	7	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	1
奈良市	1,692	1,233	2,925	276	133	409	228	170	398	152	133	285	76	37	113	99	47	146	228	135	363	2	266	268	82	29	50	276
大和南田市	320	206	526	58	22	80	27	41	68	14	29	43	13	12	25	13	1	14	57	26	83	2	41	43	16	6	10	50
大和郡山市	348	265	614	64	33	97	45	50	95	27	37	64	18	13	31	17	12	30	63	27	90	0	41	41	17	4	13	37
天理市	260	201	461	43	25	68	27	37	64	16	26	42	11	11	22	20	4	24	42	21	63	0	29	29	12	5	7	37
橿原市	589	398	987	117	45	162	72	62	134	41	50	91	31	12	43	30	14	44	67	47	114	1	73	74	27	8	18	112
桜井市	281	173	454	61	21	82	45	44	89	27	28	55	18	16	34	24	6	30	32	19	51	0	25	25	11	4	7	41
五條市	191	116	307	52	22	74	24	18	42	15	12	27	9	6	15	11	1	12	21	10	31	0	16	16	10	4	6	25
御所市	157	103	260	34	15	49	20	16	36	13	9	22	7	7	14	8	3	11	32	5	37	1	17	18	15	10	5	20
生駒市	487	373	860	73	33	106	70	61	131	43	43	86	27	18	45	27	11	38	65	35	100	2	101	103	23	4	17	98
香芝市	249	195	444	42	23	65	28	29	57	13	19	32	15	10	25	13	5	18	31	22	53	0	48	48	17	4	13	45
葛城市	165	102	267	35	15	50	18	13	31	16	12	28	2	1	3	4	6	10	29	11	40	0	26	26	4	3	1	26
宇陀市	182	122	304	32	24	56	18	14	32	10	11	21	8	3	11	6	6	12	34	17	51	0	18	18	9	5	4	41
山辺郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
山辺郡 山添村	23	11	34	6	2	8	3	3	6	2	2	4	1	1	2	0	0	0	2	2	4	0	0	0	1	1	0	6
生駒郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
生駒郡 平群町	88	63	151	23	5	28	11	13	24	4	10	14	7	3	10	5	2	7	11	5	16	0	13	13	4	2	2	14
生駒郡 三郷町	95	72	167	18	5	23	15	15	30	7	11	18	8	4	12	9	4	13	9	9	18	0	14	14	4	1	3	13
生駒郡 斑鳩町	134	95	229	25	14	39	21	23	44	16	18	34	5	5	10	3	2	5	15	9	24	0	10	10	11	3	8	27
生駒郡 安堵町	47	16	64	7	2	9	7	1	8	3	1	4	4	0	4	0	1	2	6	1	7	0	3	3	1	0	1	9
磯城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
磯城郡 川西町	47	41	88	12	4	16	7	6	13	6	5	11	1	1	2	4	2	6	10	2	12	0	14	14	5	2	3	7
磯城郡 三宅町	51	19	70	10	2	12	7	2	9	4	2	6	3	0	3	3	2	5	10	0	10	0	4	4	1	0	1	5
磯城郡 田原本町	151	100	251	39	15	54	26	10	36	13	7	20	13	3	16	6	3	9	19	10	29	1	22	23	2	0	2	19
宇陀郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
宇陀郡 曾根村	11	6	17	1	1	2	1	0	1	1	0	1	0	0	0	0	0	4	1	5	0	2	2	1	1	0	1	3
宇陀郡 御杖村	9	5	14	3	1	4	1	1	2	0	1	1	1	0	1	0	0	0	2	1	3	0	0	0	1	1	0	2
高市郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
高市郡 高取町	39	26	65	10	5	15	5	3	8	4	1	5	1	2	3	0	4	4	7	2	9	1	4	5	1	0	1	6
高市郡 明日香村	33	21	54	5	2	7	2	3	5	2	3	5	0	0	0	1	1	2	11	2	13	0	6	6	1	0	1	4
北葛城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
北葛城郡 上牧町	108	65	173	15	10	25	10	7	17	5	4	9	5	3	8	6	1	7	16	7	23	0	14	14	7	3	3	20
北葛城郡 王寺町	108	71	179	13	8	21	16	13	29	10	10	20	6	3	9	8	2	10	10	10	20	0	15	15	2	1	1	24
北葛城郡 広陵町	131	94	225	30	11	41	17	10	27	6	9	15	11	1	12	12	4	16	11	4	15	0	22	22	10	4	6	36
北葛城郡 河合町	94	68	162	19	8	27	9	12	21	6	10	16	3	2	5	3	2	5	7	6	13	0	16	16	7	1	6	23
吉野郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
吉野郡 吉野町	69	31	100	17	7	24	7	8	15	5	4	9	2	4	6	1	2	3	12	1	13	0	1	1	0	0	0	12
吉野郡 大淀町	118	55	173	29	8	37	6	11	17	4	8	12	2	3	5	8	0	8	18	1	19	0	10	10	6	2	4	25
吉野郡 下市町	43	35	78	8	1	9	3	7	10	2	5	7	1	2	3	2	1	3	9	9	18	0	5	5	4	2	2	10
吉野郡 黒滝村	3	3	6	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0	1	1	0	1	1	1	0	0	0	1
吉野郡 天川村	12	5	17	3	0	3	2	3	5	1	2	3	1	1	2	0	1	1	3	0	3	0	1	1	0	0	0	2
吉野郡 野迫川村	6	1	7	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
吉野郡 十津川村	24	21	45	1	3	4	3	6	9	2	4	6	1	2	3	3	1	4	5	2	7	0	3	3	3	3	0	4
吉野郡 下北山村	11	2	13	1	0	1	6	0	6	4	0	4	2	0	2	0	0	0	1	1	2	0	0	0	0	0	0	1

付表5. 市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

奈良県

2015年

市区町村	全部位 C00-C96			胃 C16		大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肝および肝内胆管 C22			肺 C33-C34			乳房 C50			子宮 C53-C55	子宮頸部 C53	子宮体部 C54	前立腺 C61	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	女	女	女	男	
	吉野郡 上北山村	4	3	7	0	1	1	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	0	0	0
吉野郡 川上村	17	5	22	8	2	10	1	0	1	1	0	1	0	0	0	1	1	2	2	0	2	0	0	0	0	0	0	3
吉野郡 東吉野村	23	11	34	0	2	2	1	3	4	1	2	3	0	1	1	3	0	3	3	2	5	0	0	0	0	0	0	7

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

奈良県

2014年

市区町村	全部位 C00-C96 D00-D09			大腸(結腸・直腸)*1 C18-C20 D010-D012			結腸*1 C18 D010			直腸*1 C19-C20 D011-D012			肺 C33-C34 D021-D022			乳房 C50 D05			子宮 C53-C55 D06		子宮頸部 C53 D06	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女		
奈良県	6,770	4,903	11,674	1,066	766	1,832	704	556	1,260	362	210	572	981	464	1,446	11	1,006	1,017	468	297		
奈良県内市区町村不定	8	2	10	0	1	1	0	0	0	0	1	1	5	1	6	0	0	0	0	0		
奈良市	1,812	1,387	3,199	331	235	566	219	162	381	112	73	185	269	131	400	4	288	292	119	77		
大和高田市	321	221	542	47	31	78	38	20	58	9	11	20	44	23	67	0	50	50	22	16		
大和郡山市	419	339	758	67	51	118	36	41	77	31	10	41	84	30	114	0	74	74	29	16		
天理市	289	188	477	53	32	85	33	21	54	20	11	31	36	19	55	0	45	45	11	6		
橿原市	601	401	1,003	84	57	141	58	41	99	26	16	42	86	46	133	0	64	64	49	37		
桜井市	283	216	499	49	21	70	30	19	49	19	2	21	46	23	69	0	42	42	21	13		
五條市	209	124	333	31	24	55	21	17	38	10	7	17	25	7	32	0	21	21	19	12		
御所市	182	103	285	27	16	43	21	12	33	6	4	10	30	14	44	0	18	18	9	5		
生駒市	515	406	921	84	69	153	51	53	104	33	16	49	55	31	86	2	93	95	39	26		
香芝市	246	178	424	33	15	48	21	10	31	12	5	17	39	14	53	1	46	47	26	14		
葛城市	142	122	264	23	14	37	16	11	27	7	3	10	14	12	26	1	25	26	17	10		
宇陀市	211	144	355	28	24	52	19	17	36	9	7	16	27	18	45	0	18	18	9	4		
山辺郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
山辺郡 山添村	31	18	49	8	2	10	6	1	7	2	1	3	5	1	6	0	2	2	2	1		
生駒郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
生駒郡 平群町	98	90	188	9	14	23	5	12	17	4	2	6	10	8	18	0	21	21	8	7		
生駒郡 三郷町	126	78	204	19	10	29	14	8	22	5	2	7	12	8	20	0	15	15	11	7		
生駒郡 斑鳩町	140	95	235	20	21	41	14	18	32	6	3	9	17	5	22	0	20	20	3	2		
生駒郡 安堵町	35	33	68	5	8	13	4	7	11	1	1	2	4	1	5	0	5	5	4	1		
磯城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
磯城郡 川西町	54	30	84	3	6	9	0	6	6	3	0	3	4	3	7	0	6	6	3	2		
磯城郡 三宅町	42	29	71	7	5	12	4	3	7	3	2	5	9	4	13	0	5	5	1	1		
磯城郡 田原本町	156	131	287	35	28	63	26	19	45	9	9	18	20	8	28	0	28	28	15	14		
宇陀郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
宇陀郡 曾爾村	16	6	22	0	0	0	0	0	0	0	0	0	3	1	4	1	1	2	0	0		
宇陀郡 御杖村	18	9	27	0	2	2	0	0	0	0	2	2	2	1	3	0	1	1	0	0		
高市郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
高市郡 高取町	48	27	75	6	6	12	6	4	10	0	2	2	10	2	12	0	8	8	2	1		
高市郡 明日香村	30	22	52	4	6	10	3	4	7	1	2	3	4	1	5	0	6	6	0	0		
北葛城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
北葛城郡 上牧町	101	79	180	15	8	23	9	7	16	6	1	7	16	9	25	0	20	20	7	4		
北葛城郡 王寺町	106	93	199	15	15	30	11	10	21	4	5	9	17	7	24	1	29	30	10	4		
北葛城郡 広陵町	139	105	244	14	15	29	9	11	20	5	4	9	27	7	34	1	17	18	12	6		
北葛城郡 河合町	100	53	153	12	8	20	8	5	13	4	3	7	21	6	27	0	10	10	1	1		
吉野郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
吉野郡 吉野町	64	27	91	8	7	15	6	5	11	2	2	4	11	4	15	0	2	2	4	2		
吉野郡 大淀町	105	69	174	13	9	22	8	7	15	5	2	7	13	8	21	0	18	18	6	3		
吉野郡 下市町	30	31	61	2	0	2	0	0	0	2	0	2	4	6	10	0	4	4	4	2		

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

奈良県

2014年

市区町村	全部位 C00-C96 D00-D09			大腸(結腸・直腸)*1 C18-C20 D010-D012			結腸 *1 C18 D010			直腸 *1 C19-C20 D011-D012			肺 C33-C34 D021-D022			乳房 C50 D05			子宮 C53-C55 D06		子宮頸部 C53 D06	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女		
	吉野郡 黒滝村	3	2	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	
吉野郡 天川村	10	3	13	1	1	2	1	1	2	0	0	0	0	0	0	0	0	0	0	0		
吉野郡 野迫川村	8	4	12	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0		
吉野郡 十津川村	30	19	49	6	5	11	4	4	8	2	1	3	3	1	4	0	2	2	1	1		
吉野郡 下北山村	4	4	8	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0		
吉野郡 上北山村	4	3	7	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	0		
吉野郡 川上村	15	3	18	3	0	3	1	0	1	2	0	2	3	0	3	0	0	0	0	0		
吉野郡 東吉野村	19	9	28	4	0	4	2	0	2	2	0	2	1	3	4	0	0	0	2	2		

*1 粘膜がんを含む

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

奈良県

2015年

市区町村	全部位			大腸(結腸・直腸)*1			結腸*1			直腸*1			肺			乳房			子宮		子宮頸部	
	G00-C96 D00-D09		総数	G18-C20 D010-D012		総数	G18 D010		総数	G19-C20 D011-D012		総数	G33-C34 D021-D022		総数	C50 D05		総数	C53-C55 D06		C53 D06	C53 D06
	男	女		男	女		男	女		男	女		男	女		男	女		男	女		
奈良県	6,960	5,043	12,005	1,086	881	1,967	704	660	1,364	382	221	603	909	465	1,374	10	980	990	553		351	
奈良県内市区町村不定	6	1	7	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0		0	
奈良市	1,845	1,414	3,259	323	226	549	223	177	400	100	49	149	229	135	364	2	297	299	148		95	
大和高田市	350	233	583	45	50	95	28	38	66	17	12	29	57	26	83	2	48	50	24		14	
大和郡山市	379	296	676	60	60	120	36	44	80	24	16	40	63	28	91	0	49	49	23		10	
天理市	282	221	503	41	43	84	29	29	58	12	14	26	42	21	63	0	29	29	24		17	
橿原市	629	476	1,105	86	75	161	53	62	115	33	13	46	67	47	114	1	79	80	72		53	
桜井市	308	202	510	58	52	110	36	35	71	22	17	39	32	19	51	0	28	28	25		18	
五條市	202	125	327	28	18	46	18	12	30	10	6	16	21	10	31	0	16	16	16		10	
御所市	174	117	291	29	23	52	19	15	34	10	8	18	32	5	37	1	19	20	19		14	
生駒市	534	424	958	93	72	165	58	51	109	35	21	56	65	35	100	2	119	121	37		18	
香芝市	266	215	481	35	32	67	19	21	40	16	11	27	31	22	53	0	51	51	29		16	
葛城市	181	115	296	28	17	45	24	16	40	4	1	5	29	11	40	0	27	27	9		8	
宇陀市	190	138	328	21	19	40	13	14	27	8	5	13	34	17	51	0	20	20	15		11	
山辺郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
山辺郡 山添村	24	14	38	4	3	7	3	2	5	1	1	2	2	2	4	0	1	1	2		2	
生駒郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
生駒郡 平群町	104	75	179	22	17	39	14	13	27	8	4	12	11	5	16	0	15	15	6		4	
生駒郡 三郷町	103	87	190	20	20	40	10	14	24	10	6	16	9	9	18	0	15	15	9		6	
生駒郡 斑鳩町	145	105	250	25	24	49	19	19	38	6	5	11	15	9	24	0	12	12	16		8	
生駒郡 安堵町	53	20	74	9	3	12	4	3	7	5	0	5	6	1	7	0	3	3	2		1	
磯城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
磯城郡 川西町	55	47	102	9	9	18	8	7	15	1	2	3	10	2	12	0	14	14	8		5	
磯城郡 三宅町	52	20	72	7	2	9	4	2	6	3	0	3	10	0	10	0	4	4	1		0	
磯城郡 田原本町	167	116	283	30	17	47	16	13	29	14	4	18	19	10	29	1	26	27	4		2	
宇陀郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
宇陀郡 曾爾村	11	7	18	1	1	2	1	1	2	0	0	0	4	1	5	0	2	2	1		1	
宇陀郡 御杖村	9	5	14	1	1	2	0	1	1	1	0	1	2	1	3	0	0	0	1		1	
高市郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
高市郡 高取町	41	29	70	6	4	10	4	1	5	2	3	5	7	2	9	1	5	6	2		1	
高市郡 明日香村	37	23	60	2	5	7	2	5	7	0	0	0	11	2	13	0	6	6	1		0	
北葛城郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
北葛城郡 上牧町	114	70	184	13	7	20	6	4	10	7	3	10	16	7	23	0	14	14	8		4	
北葛城郡 王寺町	115	76	191	20	15	35	13	11	24	7	4	11	10	10	20	0	15	15	4		3	
北葛城郡 広陵町	138	108	246	20	12	32	8	11	19	12	1	13	11	4	15	0	24	24	18		12	
北葛城郡 河合町	99	76	175	11	13	24	8	11	19	3	2	5	7	6	13	0	20	20	7		1	
吉野郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
吉野郡 吉野町	72	33	105	8	9	17	6	5	11	2	4	6	12	1	13	0	1	1	1		1	
吉野郡 大淀町	126	63	189	10	12	22	7	9	16	3	3	6	18	1	19	0	10	10	12		8	
吉野郡 下市町	44	37	81	4	7	11	2	5	7	2	2	4	9	9	18	0	5	5	5		3	

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

奈良県

2015年

市区町村	全部位 C00-C96 D00-D09			大腸（結腸・直腸）*1 C18-C20 D010-D012			結腸 *1 C18 D010			直腸 *1 C19-C20 D011-D012			肺 C33-C34 D021-D022			乳房 C50 D05			子宮 C53-C55 D06		子宮頸部 C53 D06	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女		
吉野郡 黒滝村	3	3	6	1	0	1	1	0	1	0	0	0	0	1	1	0	1	1	0	0		
吉野郡 天川村	12	5	17	2	3	5	1	2	3	1	1	2	3	0	3	0	1	1	0	0		
吉野郡 野迫川村	6	2	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
吉野郡 十津川村	24	22	46	3	6	9	2	4	6	1	2	3	5	2	7	0	3	3	4	4		
吉野郡 下北山村	11	3	14	6	0	6	4	0	4	2	0	2	1	1	2	0	1	1	0	0		
吉野郡 上北山村	4	3	7	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0		
吉野郡 川上村	19	5	24	2	0	2	2	0	2	0	0	0	2	0	2	0	0	0	0	0		
吉野郡 東吉野村	26	12	38	3	4	7	3	3	6	0	1	1	3	2	5	0	0	0	0	0		

*1 粘膜がんを含む